Kershaw®

2026

#2

kershaw®

NEXT LEVEL

TABLE OF CONTENTS

2 NEW PRODUCTS NEW

8 AUTOMATIC

16 STARTER NEW

22 EVERYDAY CARRY - MANUAL NEW

36 EVERYDAY CARRY - ASSISTED NEW

54 MULTI-FUNCTION NEW

60 FIXED BLADE NEW

64 OUTDOOR

66 FISHING

68 KITCHEN

70 GEAR

75 BLADE STYLES, FINISHES

76 BLADE STEEL INFO

78 OPENING, LOCKS, HANDLES, POCKETCLIPS

80 KNIFE SIZES

82 INDEX

85 WARRANTY INFO

86 PROP 65 INFO

SINCE 1974

NEW PRODUCT RELEASE

2026 #2

MISDIRECT XL
1441 • P.17

BONNEVILLE
6000 • P.23

BEL AIR XL - CARBON FIBER
6110CF • P.25

BEL AIR XL - FDE, M4
6110FDE • P.25

BEL AIR XL - OLIVE, 3V
6110OL • P.25

BEL AIR XL - BLACK
6110BLK • P.25

BEL AIR - CLIP POINT, CARBON FIBER
6106CF • P.26

CELESTION
2057 • P.28

MANEUVER
1438 • P.28

BLUR - USA FLAG
1670USA • P.40

MINI IRIDIUM - FIXED BLADE
1051 • P.61

2026 PRODUCT RELEASE #1

IRIDIUM BUTTON LOCK
3038 • P.23

BAREKNUCKLE DURALOCK
6777 • P.27

DUSTER
2059 • P.29

AIRSPACE
2063 • P.29

PROXIMAL
2058 • P.29

LEEK - KINGS CAMO™
1660KC • P.37

BLUR - KINGS CAMO™
1670KC • P.41

SHORELINE - BASS
1845BASS • P.45

BEL AIR XL EMT
6110EMT • P.55

BEL AIR XL EMT - ORANGE
6110EMTOR • P.55

kershaw®

ORIGINALS

Kershaw's in-house designs are award-winning, fan-winning, customer-winning originals. From the freshest new industry-leading designs to modern versions of classics, Kershaw Originals bring you a full range of choices. For style, innovative technology, quality materials, and plenty of value, we deliver. Whether it's your first venture into a quality pocketknife or it's time for a top-of-the-line Made in the USA automatic, you can count on Kershaw Originals to bring you the best.

Look for this icon designating KERSHAW ORIGINALS.

2026 CATALOG

ICON GUIDE

Find these icons on products with special features and materials:

Made In USA

Kershaw Original

Premium blade steel

KVT ball-bearing opening

G10 handle scales

Canvas micarta handle scales

Carbon fiber handle scales

Emerson Wave Shaped Feature®

Sheath included

Composite Blade

kershaw®

MANUFACTURING

Every Kershaw knife starts with American innovation, American design, and American engineering.

It comes to life with precision manufacturing and meticulous quality control—either in our Tualatin, Oregon factory, located in one of the USA's greatest centers of knife manufacturing, or in our overseas manufacturing facilities. This kind of manufacturing depth enables us to build products for every budget and meet demand throughout the US and worldwide.

While a knife may look simple, it's actually a complex piece of machinery. And when it comes to production brands like Kershaw—building a million knives each year—the complexity only gets amplified. From CNC machines, precision grinders, lasers, and a factory-full of specialized equipment to hand-assembly and sharpening by hundreds of skilled workers, what it takes to get that knife into your hands is nothing short of amazing.

Look for this icon designating knives proudly made in our Oregon USA factory.

All other Kershaw knives are proudly designed, prototyped, engineered, and quality controlled in the USA, and manufactured in China.

AMERICAN

QUALITY

Every Kershaw knife is manufactured to last a lifetime of quality performance. Kai USA's state-of-the art factory pushes the latest technologies and innovations, manufacturing over one million individual knives every year. Even for models that are imported overseas, all of Kershaw's quality control is meticulously maintained in the USA. No matter what Kershaw you buy, you're guaranteed a dependable tool.

DESIGN

Kershaw's innovative Original Designs are conceptualized by the USA design team. For other models, Kershaw collaborates with many well-known custom knifemakers. In either case, Kershaw's USA team oversees the project from the drawing board to completion.

SERVICE

Kershaw knives are backed by a Limited Lifetime Warranty against manufacturing defects, serviced in the USA. Sharpening, parts replacement, and general customer service are also available.

JOBS

Kershaw employs hundreds of employees in the USA, stimulating Oregon's economy and providing jobs in assembly, customer service, packaging, quality control, and more.

AUTOMATIC SECTION

OVERVIEW

20 TOTAL
20 MADE IN USA
19 ORIGINAL DESIGNS
20 PREMIUM BLADE STEEL

Kershaw automatics are a collection of sleek, fast, instant-open knives. The lineup includes out-the-side and out-the-front opening knives. Either way, activating the button releases the lock, and the blade deploys lightning-fast, ready for use.

LIVEWIRE
9000
a KERSHAW ORIGINALS & MATT DISKIN design

STEEL	CPM MagnaCut, stonewashed finish
HANDLE	6061-T6 aluminum, black anodized
BLADE	3.3 in. (8.4 cm)
CLOSED	4.8 in. (12.2 cm)
OVERALL	8.1 in. (20.6 cm)
WEIGHT	3 oz. (85 g)
BOX	087171064550
CLAM	-

OPENING	Out-The-Front Automatic
LOCK	OTF Internal Lock
POCKETCLIP	Reversible deep-carry (right/left, tip down)
FEATURES	Handle texturing for a stylish look and secure grip

LIVEWIRE - REVERSE TANTO
9000R
a KERSHAW ORIGINALS & MATT DISKIN design

STEEL	CPM MagnaCut, black PVD coating with satin grinds
HANDLE	6061-T6 aluminum, black anodized
BLADE	3.3 in. (8.4 cm)
CLOSED	4.8 in. (12.2 cm)
OVERALL	8.1 in. (20.6 cm)
WEIGHT	3.2 oz. (91 g)
BOX	087171068732
CLAM	-

OPENING	Out-The-Front Automatic
LOCK	OTF Internal Lock
POCKETCLIP	Reversible deep-carry (right/left, tip down)
FEATURES	Handle texturing for a stylish look and secure grip

LIVEWIRE - CARBON FIBER
9000CF
a KERSHAW ORIGINALS & MATT DISKIN design

STEEL	CPM MagnaCut, stonewashed finish with satin grinds
HANDLE	Carbon fiber front, 6061-T6 aluminum, black anodized
BLADE	3.35 in. (8.5 cm)
CLOSED	4.8 in. (12.2 cm)
OVERALL	8.15 in. (20.7 cm)
WEIGHT	2.9 oz. (82 g)
BOX	087171066677
CLAM	-

OPENING	Out-The-Front Automatic
LOCK	OTF Internal Lock
POCKETCLIP	Reversible deep-carry (right/left, tip down)
FEATURES	Handle texturing for a stylish look and secure grip

LIVEWIRE - DOUBLE EDGE
9000DE
a KERSHAW ORIGINALS & MATT DISKIN design

STEEL	CPM MagnaCut, black PVD coating
HANDLE	6061-T6 aluminum, black anodized
BLADE	3.45 in. (8.8 cm)
CLOSED	4.8 in. (12.2 cm)
OVERALL	8.25 in. (21 cm)
WEIGHT	3.1 oz. (88 g)
BOX	087171066684
CLAM	-

OPENING	Out-The-Front Automatic
LOCK	OTF Internal Lock
POCKETCLIP	Reversible deep-carry (right/left, tip down)
FEATURES	Handle texturing for a stylish look and secure grip

LIVEWIRE - TANTO
9000T
a KERSHAW ORIGINALS & MATT DISKIN design

STEEL	CPM MagnaCut, black-oxide BlackWash™ finish
HANDLE	6061-T6 aluminum, black anodized
BLADE	3.3 in. (8.4 cm)
CLOSED	4.8 in. (12.2 cm)
OVERALL	8.1 in. (20.6 cm)
WEIGHT	3.1 oz. (88 g)
BOX	087171065892
CLAM	-

OPENING	Out-The-Front Automatic
LOCK	OTF Internal Lock
POCKETCLIP	Reversible deep-carry (right/left, tip down)
FEATURES	Handle texturing for a stylish look and secure grip

LIVEWIRE - BLACK

9000BLK

a KERSHAW ORIGINALS & MATT DISKIN design

STEEL	CPM MagnaCut, black PVD coating
HANDLE	6061-T6 aluminum, black anodized
BLADE	3.3 in. (8.4 cm)
CLOSED	4.8 in. (12.2 cm)
OVERALL	8.1 in. (20.6 cm)
WEIGHT	3.1 oz. (88 g)
BOX	087171065663
CLAM	-

OPENING	Out-The-Front Automatic
LOCK	OTF Internal Lock
POCKETCLIP	Reversible deep-carry (right/left, tip down)
FEATURES	Handle texturing for a stylish look and secure grip

LAUNCH IRIDIUM

7038

a KERSHAW ORIGINALS design

STEEL	CPM MagnaCut, working finish
HANDLE	6061-T6 aluminum, black anodized
BLADE	3.45 in. (8.8 cm)
CLOSED	4.55 in. (11.6 cm)
OVERALL	8 in. (20.3 cm)
WEIGHT	3.1 oz. (88 g)
BOX	087171068381
CLAM	-

OPENING	Push-button open
LOCK	Push-button lock release
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Custom pivot, gray anodized backspacer and lanyard hole

LAUNCH IRIDIUM - G10

7038G10

a KERSHAW ORIGINALS design

STEEL	CPM MagnaCut, black-oxide BlackWash™ finish
HANDLE	G10 front, 6061-T6 aluminum back, black anodized
BLADE	3.45 in. (8.8 cm)
CLOSED	4.55 in. (11.6 cm)
OVERALL	8 in. (20.3 cm)
WEIGHT	2.9 oz. (82 g)
BOX	087171071305
CLAM	-

OPENING	Push-button open
LOCK	Push-button lock release
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Custom pivot, black anodized backspacer and lanyard hole

LAUNCH 1

7100BW

a KERSHAW ORIGINALS design

STEEL	CPM 154, black-oxide BlackWash™ finish
HANDLE	6061-T6 aluminum, black anodized
BLADE	3.4 in. (8.6 cm)
CLOSED	4.6 in. (11.7 cm)
OVERALL	8 in. (20.3 cm)
WEIGHT	4 oz. (114 g)
BOX	087171039534
CLAM	-

OPENING	Push-button open
LOCK	Push-button lock release
POCKETCLIP	Reversible (right/left, tip-up)
FEATURES	Integrated backspacer, lanyard tie-off

LAUNCH 4

7500BLK

a KERSHAW ORIGINALS design

STEEL	CPM 154, black Cerakote coating
HANDLE	6061-T6 aluminum, black anodized
BLADE	1.9 in. (4.8 cm)
CLOSED	3.2 in. (8.1 cm)
OVERALL	5.1 in. (13 cm)
WEIGHT	1.8 oz. (51 g)
BOX	087171041100
CLAM	-

OPENING	Push-button open
LOCK	Push-button lock release
POCKETCLIP	Single-position (right, tip-up)
FEATURES	Integrated backspacer

kershaw
DRIFT 3/4

Kershaw

LAUNCH 6
7800BLK
a KERSHAW ORIGINALS design

STEEL	CPM 154, black Cerakote coating
HANDLE	6061-T6 aluminum, black anodized
BLADE	3.75 in. (9.5 cm)
CLOSED	4.9 in. (12.4 cm)
OVERALL	8.7 in. (22.1 cm)
WEIGHT	3.8 oz. (108 g)
BOX	087171044484
CLAM	-

OPENING	Push-button open
LOCK	Push-button lock release
POCKETCLIP	Reversible (right/left, tip-up)
FEATURES	Integrated backspacer, lanyard hole

LAUNCH 8
7150
a MATT DISKIN design

STEEL	CPM 154, stonewashed finish
HANDLE	6061-T6 aluminum, gray anodized, carbon fiber insert front
BLADE	3.5 in. (9 cm)
CLOSED	4.75 in. (12.2 cm)
OVERALL	8.25 in. (21 cm)
WEIGHT	2.3 oz. (68 g)
BOX	087171055008
CLAM	-

OPENING	Push-button open
LOCK	Push-button lock release
POCKETCLIP	Reversible (right/left, tip-up)
FEATURES	Integrated finger guards

LAUNCH 11
7550
a KERSHAW ORIGINALS design

STEEL	CPM 154, black-oxide BlackWash™ finish
HANDLE	6061-T6 aluminum, black anodized
BLADE	2.75 in. (7 cm)
CLOSED	3.8 in. (9.9 cm)
OVERALL	6.75 in. (16.6 cm)
WEIGHT	2.1 oz. (60 g)
BOX	087171058771
CLAM	-

OPENING	Push-button open
LOCK	Push-button lock release
POCKETCLIP	Reversible (right/left, tip-up)
FEATURES	Bronze anodized titanium trim ring, integrated backspacer with lanyard tie-off, weight-relieving handle window

LAUNCH 13
7650
a KERSHAW ORIGINALS design

STEEL	CPM 154, black Cerakote coating with satin grinds
HANDLE	6061-T6 aluminum, black anodized
BLADE	3.5 in. (8.9 cm)
CLOSED	4.5 in. (11.4 cm)
OVERALL	8 in. (20.3 cm)
WEIGHT	2.4 oz. (68 g)
BOX	087171060620
CLAM	-

OPENING	Push-button open
LOCK	Push-button lock release
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Custom triangular pivot, integrated backspacer with lanyard tie-off, weight-relieving handle windows

LAUNCH 16
7105
a KERSHAW ORIGINALS design

STEEL	CPM M4, black Cerakote coating
HANDLE	6061-T6 aluminum, black anodized, Trac-Tec inserts
BLADE	3.45 in. (8.8 cm)
CLOSED	4.95 in. (12.6 cm)
OVERALL	8.4 in. (21.3 cm)
WEIGHT	4 oz. (113 g)
BOX	087171065335
CLAM	-

OPENING	Push-button open
LOCK	Push-button lock release
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Oversized jimping for secure grip

LAUNCH 16 - OLIVE, BLACK

71050LBLK

a KERSHAW ORIGINALS design

STEEL	CPM M4, black Cerakote coating
HANDLE	6061-T6 aluminum, olive Cerakote coating, Trac-Tec inserts
BLADE	3.45 in. (8.8 cm)
CLOSED	4.95 in. (12.6 cm)
OVERALL	8.4 in. (21.3 cm)
WEIGHT	4.1 oz. (116 g)
BOX	087171066530
CLAM	-

OPENING	Push-button open
LOCK	Push-button lock release
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Oversized jimping for secure grip

LAUNCH 18

7551

a KERSHAW ORIGINALS design

STEEL	CPM 154, stonewashed finish
HANDLE	6061-T6 aluminum, gray anodized
BLADE	2.79 in. (7.1 cm)
CLOSED	4 in. (10.2 cm)
OVERALL	6.79 in. (17.2 cm)
WEIGHT	2.3 oz. (65 g)
BOX	087171066578
CLAM	-

OPENING	Push-button open
LOCK	Push-button lock release
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Ceramic bead-blasted titanium trim ring, integrated backspacer with lanyard tie-off

LAUNCH 21

7106

a KERSHAW ORIGINALS design

STEEL	CPM M4, black PVD coating
HANDLE	6061-T6 aluminum, FDE anodized, G10 inserts
BLADE	3.45 in. (8.8 cm)
CLOSED	4.95 in. (12.6 cm)
OVERALL	8.4 in. (21.3 cm)
WEIGHT	4.1 oz. (116 g)
BOX	087171069524
CLAM	-

OPENING	Push-button open
LOCK	Push-button lock release
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Oversized jimping for secure grip

LAUNCH 22

7205

a KERSHAW ORIGINALS design

STEEL	CPM MagnaCut, black-oxide BlackWash™ finish
HANDLE	6061-T6 aluminum, OD green anodized, black canvas micarta inserts
BLADE	3.45 in. (8.8 cm)
CLOSED	4.75 in. (12.1 cm)
OVERALL	8.2 in. (20.8 cm)
WEIGHT	3.7 oz. (105 g)
BOX	087171071114

OPENING	Push-button open
LOCK	Push-button lock release
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Spear point blade

LAUNCH 23

7305

a KERSHAW ORIGINALS design

STEEL	CPM 154, black Cerakote coating with satin grinds
HANDLE	6061-T6 aluminum, black anodized
BLADE	3.3 in. (8.4 cm)
CLOSED	4.35 in. (11 cm)
OVERALL	7.65 in. (19.4 cm)
WEIGHT	3.3 oz. (93 g)
BOX	087171071176
CLAM	-

OPENING	Push-button open
LOCK	Push-button lock release
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Trailing point blade, machined grooves for secure grip

AUTO
kershaw

STARTER SECTION

OVERVIEW

19 TOTAL 1 NEW
19 ORIGINAL DESIGNS

This collection is sure to get your blade obsession off to a great start. You get top Kershaw technology, quality, and plenty of style in this series of pocketknives that won't break the budget.

NEW

MISDIRECT XL

1441

a KERSHAW ORIGINALS design

STEEL	4Cr14, stonewashed finish
HANDLE	Stainless steel, gray paint coating
BLADE	3.37 in. (8.6 cm)
CLOSED	4.55 in. (11.6 cm)
OVERALL	7.92 in. (20.1 cm)
WEIGHT	4.2 oz. (119 g)
BOX	087171073651
CLAM	087171074542

OPENING	Assisted opening with flipper
LOCK	Frame lock, lockbar-overtravel stop
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Backspacer with lanyard hole

MISDIRECT

1365

a KERSHAW ORIGINALS design

STEEL	4Cr14, black-oxide BlackWash™ finish
HANDLE	Stainless steel, bead-blasted finish
BLADE	3 in. (7.6 cm)
CLOSED	4 in. (10.2 cm)
OVERALL	7 in. (17.8 cm)
WEIGHT	3.2 oz. (91 g)
BOX	087171055169
CLAM	087171055688

OPENING	Assisted opening with flipper
LOCK	Frame lock
POCKETCLIP	3-position (right/left, tip up; right, tip-down)
FEATURES	Backspacer with lanyard hole

MISDIRECT - RAINBOW

1365RBW

a KERSHAW ORIGINALS design







STEEL	4Cr14, polished rainbow PVD coating
HANDLE	Stainless steel, polished rainbow PVD coating
BLADE	3 in. (7.6 cm)
CLOSED	4 in. (10.2 cm)
OVERALL	7 in. (17.8 cm)
WEIGHT	3.1 oz. (88 g)
BOX	087171069197
CLAM	-

OPENING	Assisted opening with flipper
LOCK	Frame lock
POCKETCLIP	3-position (right/left, tip up; right, tip-down)
FEATURES	Backspacer with lanyard hole

RAYGUN

1427

a KERSHAW ORIGINALS design

STEEL	4Cr14, stonewashed finish
HANDLE	Glass-filled nylon
BLADE	2.8 in. (7.1 cm)
CLOSED	3.95 in. (10 cm)
OVERALL	6.75 in. (17.1 cm)
WEIGHT	2.3 oz. (65 g)
BOX	087171069937
CLAM	-

OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Bead-blasted tube spacers

KORRA

1409

a KERSHAW ORIGINALS design

STEEL	5Cr15MoV, stonewashed finish
HANDLE	Glass-filled nylon
BLADE	2.75 in. (7 cm)
CLOSED	3.75 in. (9.5 cm)
OVERALL	6.5 in. (16.5 cm)
WEIGHT	2.2 oz. (62 g)
BOX	087171064864
CLAM	-

OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Lanyard pin

kershaw

OUTFIELD
1428
a KERSHAW ORIGINALS design

STEEL	4Cr14, stonewashed finish
HANDLE	Glass-filled nylon
BLADE	2.8 in. (7.1 cm)
CLOSED	3.62 in. (9.2 cm)
OVERALL	6.42 in. (16.3 cm)
WEIGHT	2.2 oz. (62 g)
BOX	087171069159
CLAM	-
OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Lanyard pin

TREMOLO
1390
a KERSHAW ORIGINALS design



STEEL	4Cr14, stonewashed finish
HANDLE	Glass-filled nylon
BLADE	3.125 in. (7.9 cm)
CLOSED	4.125 in. (10.5 cm)
OVERALL	7.25 in. (18.4 cm)
WEIGHT	2.8 oz. (79 g)
BOX	087171060934
CLAM	087171062488
OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Steel handle inlays

FLATBED
1376
a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide BlackWash™ finish
HANDLE	Glass-filled nylon, steel inlay, black-oxide BlackWash™ finish
BLADE	3.125 in. (7.9 cm)
CLOSED	4.125 in. (10.5 cm)
OVERALL	7.25 in. (18.4 cm)
WEIGHT	3.2 oz. (91 g)
BOX	087171061986
CLAM	087171064406
OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Lanyard hole, custom backspacer

JETPACK
1401
a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, stonewashed finish
HANDLE	Stainless steel, stonewashed finish, glass-filled nylon overlays
BLADE	2.75 in. (7 cm)
CLOSED	3.75 in. (9.5 cm)
OVERALL	6.5 in. (16.5 cm)
WEIGHT	2.9 oz. (82 g)
BOX	087171061764
CLAM	-
OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Lanyard hole, custom backspacer

LIGHTYEAR
1395
a KERSHAW ORIGINALS design

STEEL	4Cr14, bead-blasted finish
HANDLE	Glass-filled nylon
BLADE	3.125 in. (7.9 cm)
CLOSED	4.125 in. (10.5 cm)
OVERALL	7.25 in. (18.4 cm)
WEIGHT	2.5 oz. (71 g)
BOX	087171058863
CLAM	087171060941
OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Lanyard hole

CAMSHAFT
1370
a KERSHAW ORIGINALS design

STEEL	4Cr14, stonewashed finish
HANDLE	Glass-filled nylon
BLADE	3 in. (7.6 cm)
CLOSED	4.25 in. (10.8 cm)
OVERALL	7.25 in. (18.4 cm)
WEIGHT	3.1 oz. (90 g)
BOX	087171057637
CLAM	087171060453

OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Lanyard hole, decorative pivot cap, custom backspacer

AIRLOCK
1385
a KERSHAW ORIGINALS design

STEEL	4Cr14, bead-blasted finish
HANDLE	Glass-filled nylon
BLADE	3 in. (7.6 cm)
CLOSED	4.25 in. (10.8 cm)
OVERALL	7.25 in. (18.5 cm)
WEIGHT	2.9 oz. (84 g)
BOX	087171058405
CLAM	087171059044

OPENING	Assisted opening with flipper
LOCK	Inset liner lock
POCKETCLIP	Reversible (right/left, tip-up)
FEATURES	Lanyard hole, weight-relieving handle window, decorative pivot cap

STARTER
1301BW
a KERSHAW ORIGINALS design



STEEL	4Cr14, black-oxide BlackWash™ finish
HANDLE	Stainless steel, black-oxide BlackWash™ finish
BLADE	3.4 in. (8.6 cm)
CLOSED	4.5 in. (11.4 cm)
OVERALL	7.9 in. (20.1 cm)
WEIGHT	6.4 oz. (183 g)
BOX	087171037646
CLAM	087171037653

OPENING	Assisted opening with flipper or thumb stud
LOCK	Liner lock
POCKETCLIP	Single-position deep-carry (right, tip-down)
FEATURES	Lanyard hole

LIFTER
1302BW
a KERSHAW ORIGINALS design



STEEL	4Cr14, black-oxide BlackWash™ finish
HANDLE	Stainless steel, black-oxide BlackWash™ finish
BLADE	3.5 in. (8.9 cm)
CLOSED	4.5 in. (11.4 cm)
OVERALL	7.9 in. (20.1 cm)
WEIGHT	5.8 oz. (167 g)
BOX	087171037660
CLAM	087171037677

OPENING	Assisted opening with flipper or thumb stud
LOCK	Frame lock
POCKETCLIP	Single-position deep-carry (right, tip-down)
FEATURES	Lanyard hole

FILTER
1306BW
a KERSHAW ORIGINALS design

STEEL	4Cr14, black-oxide BlackWash™ finish
HANDLE	Stainless steel, black-oxide BlackWash™ finish
BLADE	3.25 in. (8.3 cm)
CLOSED	4.5 in. (11.4 cm)
OVERALL	7.75 in. (19.7 cm)
WEIGHT	5 oz. (143 g)
BOX	087171039213
CLAM	087171039220

OPENING	Assisted opening with flipper or thumb stud
LOCK	Frame lock
POCKETCLIP	Single-position deep-carry (right, tip-down)

WHARF
1414
a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, stonewashed finish
HANDLE	Glass-filled nylon
BLADE	2.8 in. (7.1 cm)
CLOSED	3.9 in. (9.9 cm)
OVERALL	6.7 in. (17 cm)
WEIGHT	2.9 oz. (82 g)
BOX	087171065809
CLAM	-

OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Lanyard pin

SPOKE
1313BLK
a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide coating
HANDLE	Stainless steel, black-oxide coating
BLADE	2 in. (5.1 cm)
CLOSED	2.8 in. (7.1 cm)
OVERALL	4.75 in. (12.1 cm)
WEIGHT	3.1 oz. (88 g)
BOX	087171044446
CLAM	-

OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)

VALVE
1375
a KERSHAW ORIGINALS design

STEEL	4Cr14, stonewashed finish
HANDLE	Stainless steel, bead-blasted finish
BLADE	2.25 in. (5.7 cm)
CLOSED	3.25 in. (8.3 cm)
OVERALL	5.5 in. (14 cm)
WEIGHT	3 oz. (85 g)
BOX	087171057910
CLAM	087171059532

OPENING	Assisted opening with flipper
LOCK	Frame lock
POCKETCLIP	Single-position deep-carry (right, tip-up)
FEATURES	Black-oxide pivot cap, bead-blasted steel pocketclip, glass-filled nylon backspacer

CATHODE
1324
a KERSHAW ORIGINALS design



STEEL	4Cr14, stonewashed finish
HANDLE	Stainless steel, hot-stamped texture
BLADE	2.25 in. (5.7 cm)
CLOSED	3.25 in. (8.3 cm)
OVERALL	5.5 in. (14 cm)
WEIGHT	2.7 oz. (77 g)
BOX	087171044903
CLAM	087171044910

OPENING	Assisted opening with flipper
LOCK	Frame lock
POCKETCLIP	Reversible (right/left, tip-up)

EDC-MANUAL SECTION

OVERVIEW

51 TOTAL • 13 NEW
17 MADE IN USA
44 ORIGINAL DESIGNS
31 PREMIUM BLADE STEEL

Manual-opening knives can be opened with a thumb stud, flipper, sliding button, or hollow in the blade. Some also feature our KVT ball-bearing system for smooth, reliable opening and closing everytime. KVT makes opening manual knives as easy as assisted.

NEW

IRIDIUM BUTTON LOCK

3038

a KERSHAW ORIGINALS design

STEEL	CPM MagnaCut, satin finish with stonewashed flats
HANDLE	G10
BLADE	3.45 in. (8.8 cm)
CLOSED	4.55 in. (11.5 cm)
OVERALL	8 in. (20.3 cm)
WEIGHT	3.5 oz. (99 g)
BOX	087171072555
CLAM	-

OPENING	Manual KVT ball-bearing opening with thumb stud
LOCK	Button Lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Steel liners, custom pivot, olive-anodized aluminum backspacer with lanyard hole

REMNANT

2054

a KERSHAW ORIGINALS design

STEEL	D2, stonewashed finish
HANDLE	Black linen micarta
BLADE	3.25 in. (8.3 cm)
CLOSED	4.38 in. (11.1 cm)
OVERALL	7.63 in. (19.4 cm)
WEIGHT	2.7 oz. (76 g)
BOX	087171069395
CLAM	-

OPENING	Manual KVT ball-bearing opening with thumb stud
LOCK	Button Lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Steel liners with weight-relieving pockets, custom pivot, bronze anodized tube spacers

RUNOFF

1429

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, satin finish
HANDLE	Glass-filled nylon
BLADE	3.1 in. (7.9 cm)
CLOSED	4.05 in. (10.3 cm)
OVERALL	7.15 in. (18.2 cm)
WEIGHT	3 oz. (85 g)
BOX	08717109029
CLAM	-

OPENING	Manual KVT ball-bearing opening with flipper
LOCK	Button Lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Steel liners, custom pivot, olive backspacer with lanyard hole

KINDRED

2053

a KERSHAW ORIGINALS design

STEEL	D2, stonewashed finish
HANDLE	6061-T4 aluminum, black anodized
BLADE	3 in. (7.6 cm)
CLOSED	4.2 in. (10.7 cm)
OVERALL	7.2 in. (18.3 cm)
WEIGHT	2.6 oz. (74 g)
BOX	087171068411
CLAM	-

OPENING	Manual KVT ball-bearing opening with thumb stud
LOCK	Button Lock
POCKETCLIP	Reversible extra-deep-carry (right/left, tip-up)
FEATURES	Custom pivot, lanyard hole

NEW

BONNEVILLE

6000

a KERSHAW ORIGINALS design

STEEL	14C28N, stonewashed finish
HANDLE	Glass-filled nylon
BLADE	3.2 in. (8.1 cm)
CLOSED	4.4 in. (11.2 cm)
OVERALL	7.6 in. (19.3 cm)
WEIGHT	2.3 oz. (65 g)
BOX	087171068404
CLAM	-

OPENING	Manual KVT ball-bearing opening with flipper or thumb stud
LOCK	DuraLock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Steel liners and tube spacers, custom pivot, lanyard hole

kershaw

NEW

BEL AIR XL - CARBON FIBER

6110CF a KERSHAW ORIGINALS design

STEEL	CPM MagnaCut, satin finish with stonewashed flats
HANDLE	Marbled carbon fiber
BLADE	3.4 in. (8.6 cm)
CLOSED	4.42 in. (11.2 cm)
OVERALL	7.82 in. (19.9 cm)
WEIGHT	2.9 oz. (82 g)
BOX	087171073033
CLAM	-

OPENING	Manual KVT ball-bearing opening with thumb stud
LOCK	DuraLock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Steel liners with weight-relieving pockets, bead blasted locking dowel and tube spacers, lanyard hole

NEW

BEL AIR XL - FDE, M4

6110FDE a KERSHAW ORIGINALS design



STEEL	CPM M4, black PVD coating
HANDLE	6061-T6 aluminum, FDE anodized
BLADE	3.4 in. (8.6 cm)
CLOSED	4.42 in. (11.2 cm)
OVERALL	7.82 in. (19.9 cm)
WEIGHT	3.3 oz. (94 g)
BOX	087171073491
CLAM	-

OPENING	Manual KVT ball-bearing opening with thumb stud
LOCK	DuraLock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Steel liners with weight-relieving pockets, black-oxide coated locking dowel and tube spacers, lanyard hole

NEW

BEL AIR XL - OLIVE, 3V

6110OL a KERSHAW ORIGINALS design

STEEL	CPM 3V, working finish with clear Cerakote coating
HANDLE	6061-T6 aluminum, olive Cerakote coating
BLADE	3.4 in. (8.6 cm)
CLOSED	4.42 in. (11.2 cm)
OVERALL	7.82 in. (19.9 cm)
WEIGHT	3.3 oz. (94 g)
BOX	087171073484
CLAM	-

OPENING	Manual KVT ball-bearing opening with thumb stud
LOCK	DuraLock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Steel liners with weight-relieving pockets, silver finish locking dowel and tube spacers, lanyard hole

NEW

BEL AIR XL - BLACK

6110BLK a KERSHAW ORIGINALS design

STEEL	CPM MagnaCut, black PVD coating
HANDLE	6061-T6 aluminum, black anodized
BLADE	3.4 in. (8.6 cm)
CLOSED	4.42 in. (11.2 cm)
OVERALL	7.82 in. (19.9 cm)
WEIGHT	3.3 oz. (94 g)
BOX	087171073026
CLAM	-

OPENING	Manual KVT ball-bearing opening with thumb stud
LOCK	DuraLock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Steel liners with weight-relieving pockets, black-oxide coated locking dowel and tube spacers, lanyard hole

BEL AIR XL

6110

a KERSHAW ORIGINALS design

STEEL	CPM MagnaCut, stonewashed finish
HANDLE	G10
BLADE	3.4 in. (8.6 cm)
CLOSED	4.42 in. (11.2 cm)
OVERALL	7.82 in. (19.9 cm)
WEIGHT	3.1 oz. (88 g)
BOX	087171070230
CLAM	-

OPENING	Manual KVT ball-bearing opening with thumb stud
LOCK	DuraLock
POCKETCLIP	Reversible extra-deep-carry (right/left, tip-up)
FEATURES	Steel liners with weight-relieving pockets, bead-blasted locking dowel and black-oxide tube spacers, lanyard hole

NEW

BEL AIR - CLIP POINT, CARBON FIBER

6106CF a KERSHAW ORIGINALS design

STEEL	CPM MagnaCut, satin finish, stonewashed flats
HANDLE	Marbled carbon fiber
BLADE	3.05 in. (7.7 cm)
CLOSED	4.2 in. (10.7 cm)
OVERALL	7.25 in. (18.4 cm)
WEIGHT	2.6 oz. (74 g)
BOX	087171073040
CLAM	-

OPENING	Manual KVT ball-bearing opening with thumb stud
LOCK	DuraLock
POCKETCLIP	Reversible extra-deep-carry (right/left, tip-up)
FEATURES	Steel liners, bead blasted locking dowel and tube spacers, lanyard hole

BEL AIR - CLIP POINT

6106

a KERSHAW ORIGINALS design

STEEL	CPM MagnaCut, working finish
HANDLE	Olive canvas micarta
BLADE	3.05 in. (7.7 cm)
CLOSED	4.2 in. (10.7 cm)
OVERALL	7.25 in. (18.4 cm)
WEIGHT	2.6 oz. (74 g)
BOX	087171069722
CLAM	-

OPENING	Manual KVT ball-bearing opening with thumb stud
LOCK	DuraLock
POCKETCLIP	Reversible extra-deep-carry (right/left, tip-up)
FEATURES	Steel liners, bead-blasted locking dowel and black oxide tube spacers, lanyard hole

BEL AIR - CLIP POINT, BLACK

6106BLK

a KERSHAW ORIGINALS design

STEEL	CPM MagnaCut, black PVD coating
HANDLE	G10
BLADE	3.05 in. (7.7 cm)
CLOSED	4.2 in. (10.7 cm)
OVERALL	7.25 in. (18.4 cm)
WEIGHT	2.7 oz. (76 g)
BOX	087171071268
CLAM	-

OPENING	Manual KVT ball-bearing opening with thumb stud
LOCK	DuraLock
POCKETCLIP	Reversible extra-deep-carry (right/left, tip-up)
FEATURES	Steel liners, black-oxide locking dowel and tube spacers, lanyard hole

BEL AIR

6105

a KERSHAW ORIGINALS design

STEEL	CPM MagnaCut, black-oxide BlackWash™ finish
HANDLE	6061-T6 aluminum, nickel Cerakote coating
BLADE	3 in. (7.6 cm)
CLOSED	4.2 in. (10.7 cm)
OVERALL	7.2 in. (18.3 cm)
WEIGHT	2.9 oz. (82 g)
BOX	087171066073
CLAM	-

OPENING	Manual KVT ball-bearing opening with thumb stud
LOCK	DuraLock
POCKETCLIP	Reversible extra-deep-carry (right/left, tip-up)
FEATURES	Steel liners, dark bronze Cerakote-coated locking dowel and tube spacers, lanyard hole

BEL AIR - BLACK

6105BLK

a KERSHAW ORIGINALS design

STEEL	CPM MagnaCut, black PVD coating
HANDLE	6061-T6 aluminum, black anodized
BLADE	3.1 in. (7.9 cm)
CLOSED	4.2 in. (10.7 cm)
OVERALL	7.3 in. (18.5 cm)
WEIGHT	2.9 oz. (82 g)
BOX	087171067544
CLAM	-

OPENING	Manual KVT ball-bearing opening with thumb stud
LOCK	DuraLock
POCKETCLIP	Reversible extra-deep-carry (right/left, tip-up)
FEATURES	Steel liners, black-oxide locking dowel and tube spacers, lanyard hole

BEL AIR - CARBON FIBER

6105CF

a KERSHAW ORIGINALS design

STEEL	CPM MagnaCut, satin finish with stonewashed flats
HANDLE	Marbled carbon fiber
BLADE	3.1 in. (7.9 cm)
CLOSED	4.2 in. (10.7 cm)
OVERALL	7.3 in. (18.5 cm)
WEIGHT	2.5 oz. (71 g)
BOX	087171068428
CLAM	-

OPENING	Manual KVT ball-bearing opening with thumb stud
LOCK	DuraLock
POCKETCLIP	Reversible extra-deep-carry (right/left, tip-up)
FEATURES	Steel liners, bead-blasted locking dowel and tube spacers, lanyard hole

NEW

BAREKNUCKLE - DURALOCK

6777 a KERSHAW ORIGINALS design



STEEL	CPM MagnaCut, black PVD coating
HANDLE	Aluminum, OD green anodized
BLADE	3.5 in. (8.9 cm)
CLOSED	4.74 in. (12 cm)
OVERALL	8.24 in. (20.9 cm)
WEIGHT	3.4 oz. (96 g)
BOX	087171071077
CLAM	-

OPENING	Manual KVT ball-bearing opening with thumb stud
LOCK	DuraLock
POCKETCLIP	Reversible extra-deep-carry (right/left, tip-up)
FEATURES	Steel liners, black-oxide locking dowel and tube spacers

NEW

CELESTION

2057

a KERSHAW ORIGINALS design

STEEL	D2, satin finish, stonewashed flats
HANDLE	Polished G10
BLADE	2.71 in. (6.9 cm)
CLOSED	3.79 in. (9.6 cm)
OVERALL	6.5 in. (16.5 cm)
WEIGHT	1.7 oz. (48 g)
BOX	087171072319
CLAM	-

OPENING	Manual KVT ball-bearing opening with thumb stud
LOCK	DuraLock
POCKETCLIP	Reversible extra-deep-carry (right/left, tip-up)
FEATURES	Custom blue PVD pivot and tube spacers, lanyard hole

NEW

MANEUVER

1438

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, stonewashed finish
HANDLE	Glass-filled nylon
BLADE	3.15 in. (8 cm)
CLOSED	4.2 in. (10.7 cm)
OVERALL	7.37 in. (18.7 cm)
WEIGHT	2.7 oz. (76 g)
BOX	087171071985
CLAM	-

OPENING	Manual KVT ball-bearing opening with thumb stud
LOCK	DuraLock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Steel liners with weight-relieving pockets, custom pivot, lanyard hole

NEW

DUSTER

2059

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, stonewashed finish
HANDLE	Glass-filled nylon
BLADE	2.9 in. (7.4 cm)
CLOSED	3.85 in. (9.8 cm)
OVERALL	6.75 in. (17.1 cm)
WEIGHT	2 oz. (57 g)
BOX	087171070643
CLAM	-

OPENING	Manual KVT ball-bearing opening with thumb stud
LOCK	DuraLock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Steel liners, custom pivot, black-anodized alumnium backspacer with lanyard hole

NEW

AIRSPACE

2063

a KERSHAW ORIGINALS design

STEEL	14C28N, satin finish
HANDLE	Glass-filled nylon
BLADE	3 in. (7.6 cm)
CLOSED	4.05 in. (10.3 cm)
OVERALL	7.05 in. (17.9 cm)
WEIGHT	1.7 oz. (48 g)
BOX	087171069852
CLAM	-

OPENING	Manual KVT ball-bearing opening with thumb stud
LOCK	DuraLock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Partial steel liners, custom pivot, wishbone backspacer

NEW

PROXIMAL

2058

a KERSHAW ORIGINALS design

STEEL	D2, stonewashed finish
HANDLE	G10
BLADE	3.15 in. (8 cm)
CLOSED	4.4 in. (11.2 cm)
OVERALL	7.55 in. (19.2 cm)
WEIGHT	3.1 oz. (88 g)
BOX	087171070629
CLAM	-

OPENING	Manual KVT ball-bearing opening with thumb stud
LOCK	DuraLock
POCKETCLIP	Reversible extra-deep-carry (right/left, tip-up)
FEATURES	Steel liners with weight-relieving pockets, custom pivot, gold-anodized aluminum pivot collar and backspacer with lanyard hole

BROADSIDE

2052

a KERSHAW ORIGINALS design

STEEL	D2, stonewashed finish
HANDLE	G10
BLADE	3.5 in. (8.9 cm)
CLOSED	4.85 in. (12.3 cm)
OVERALL	8.35 in. (21.2 cm)
WEIGHT	5.1 oz. (145 g)
BOX	087171068374
CLAM	-

OPENING	Manual KVT ball-bearing opening with thumb stud
LOCK	DuraLock
POCKETCLIP	Reversible extra-deep-carry (right/left, tip-up)
FEATURES	Chocolate PVD coated steel liners, custom pivot, custom backspacer, lanyard hole

SEQUENCE

1426

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, stonewashed finish
HANDLE	Glass-filled nylon
BLADE	3.32 in. (8.4 cm)
CLOSED	4.38 in. (11.1 cm)
OVERALL	7.7 in. (19.6 cm)
WEIGHT	3 oz. (85 g)
BOX	087171068947
CLAM	-

OPENING	Manual KVT ball-bearing opening with thumb stud
LOCK	DuraLock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Steel liners, custom pivot, custom backspacer, lanyard hole

MINI IRIDIUM - REVERSE TANTO

2051R

a KERSHAW ORIGINALS design

STEEL	D2, satin finish with stonewashed flats
HANDLE	6061-T6 aluminum, gray anodized
BLADE	3 in. (7.6 cm)
CLOSED	3.9 in. (9.9 cm)
OVERALL	6.9 in. (17.5 cm)
WEIGHT	2.5 oz. (71 g)
BOX	087171068909
CLAM	-

OPENING	Manual KVT ball-bearing opening with thumb stud
LOCK	DuraLock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Steel liners, custom pivot, ice blue anodized backspacer with lanyard hole

MINI IRIDIUM - REVERSE TANTO, BLACK

2051RBLK

a KERSHAW ORIGINALS design

STEEL	D2, black-oxide coating
HANDLE	6061-T6 aluminum, black anodized
BLADE	3 in. (7.6 cm)
CLOSED	3.9 in. (9.9 cm)
OVERALL	6.9 in. (17.5 cm)
WEIGHT	2.5 oz. (71 g)
BOX	087171068930
CLAM	-

OPENING	Manual KVT ball-bearing opening with thumb stud
LOCK	DuraLock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Steel liners, custom black anodized pivot and backspacer with lanyard hole

MINI IRIDIUM - BLACK

2051BLK

a KERSHAW ORIGINALS design

STEEL	D2, black-oxide coating
HANDLE	6061-T6 aluminum, black anodized
BLADE	3 in. (7.6 cm)
CLOSED	3.9 in. (9.9 cm)
OVERALL	6.9 in. (17.5 cm)
WEIGHT	2.5 oz. (71 g)
BOX	087171068251
CLAM	-

OPENING	Manual KVT ball-bearing opening with thumb stud
LOCK	DuraLock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Steel liners, custom black anodized pivot and backspacer with lanyard hole

MINI IRIDIUM

2051

a KERSHAW ORIGINALS design

STEEL	D2, stonewashed finish
HANDLE	6061-T6 aluminum, ice blue anodized
BLADE	3 in. (7.6 cm)
CLOSED	3.9 in. (9.9 cm)
OVERALL	6.9 in. (17.5 cm)
WEIGHT	2.5 oz. (71 g)
BOX	087171066738
CLAM	087171067056

OPENING	Manual KVT ball-bearing opening with thumb stud
LOCK	DuraLock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Steel liners, custom gold PVD pivot, gold anodized backspacer with lanyard hole

IRIDIUM - REVERSE TANTO, BLACK

2038RBLK

a KERSHAW ORIGINALS design

STEEL	D2, black-oxide coating
HANDLE	6061-T6 aluminum, black anodized
BLADE	3.45 in. (8.7 cm)
CLOSED	4.5 in. (11.4 cm)
OVERALL	7.95 in. (20.2 cm)
WEIGHT	3.5 oz. (99 g)
BOX	087171068923
CLAM	-

OPENING	Manual KVT ball-bearing opening with thumb stud
LOCK	DuraLock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Steel liners, custom black anodized pivot and backspacer withlanyard hole

IRIDIUM - REVERSE TANTO

2038R a KERSHAW ORIGINALS design

STEEL	D2, stonewashed finish
HANDLE	6061-T6 aluminum, black anodized
BLADE	3.4 in. (8.6 cm)
CLOSED	4.5 in. (11.4 cm)
OVERALL	7.9 in. (20 cm)
WEIGHT	3.5 oz. (99 g)
BOX	087171066349
CLAM	-

OPENING	Manual KVT ball-bearing opening with thumb stud
LOCK	DuraLock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Steel liners, custom pivot, clear-anodized backspacer with lanyard hole

IRIDIUM - BLACK

2038BLK
a KERSHAW ORIGINALS design

STEEL	D2, black-oxide coating
HANDLE	6061-T6 aluminum, black anodized
BLADE	3.4 in. (8.6 cm)
CLOSED	4.5 in. (11.4 cm)
OVERALL	7.9 in. (20 cm)
WEIGHT	3.3 oz. (94 g)
BOX	087171065601
CLAM	-

OPENING	Manual KVT ball-bearing opening with thumb stud
LOCK	DuraLock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Steel liners, custom black anodized pivot and backspacer with lanyard hole

IRIDIUM

2038
a KERSHAW ORIGINALS design

STEEL	D2, stonewashed finish with satin grinds
HANDLE	6061-T6 aluminum, gray anodized
BLADE	3.4 in. (8.6 cm)
CLOSED	4.5 in. (11.4 cm)
OVERALL	7.9 in. (20 cm)
WEIGHT	3.3 oz. (94 g)
BOX	087171063973
CLAM	087171065366

OPENING	Manual KVT ball-bearing opening with thumb stud
LOCK	DuraLock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Steel liners, custom pivot, bronze-anodized backspacer with lanyard hole

COVALENT

2042
a KERSHAW ORIGINALS design

STEEL	D2, black-oxide BlackWash™ finish
HANDLE	Glass-filled nylon
BLADE	3.2 in. (8.1 cm)
CLOSED	4.4 in. (11.2 cm)
OVERALL	7.6 in. (19.3 cm)
WEIGHT	2.8 oz. (79 g)
BOX	087171063997
CLAM	087171065373

OPENING	Manual KVT ball-bearing opening with flipper
LOCK	DuraLock
POCKETCLIP	Reversible extra-deep-carry (right/left, tip-up)
FEATURES	Steel liners, custom pivot, custom backspacer, lanyard hole

MONITOR

2041
a KERSHAW ORIGINALS design

STEEL	D2, black-oxide coating
HANDLE	Glass-filled nylon
BLADE	3 in. (7.6 cm)
CLOSED	4.2 in. (10.7 cm)
OVERALL	7.2 in. (18.3 cm)
WEIGHT	2.7 oz. (77 g)
BOX	087171063980
CLAM	-

OPENING	Manual KVT ball-bearing opening with flipper
LOCK	DuraLock
POCKETCLIP	Reversible extra-deep-carry (right/left, tip-up)
FEATURES	Steel liners, custom pivot, custom backspacer, lanyard hole

HEIST
2037
a KERSHAW ORIGINALS design

STEEL	D2, stonewashed finish
HANDLE	Glass-filled nylon
BLADE	3.2 in. (8.1 cm)
CLOSED	4.4 in. (11.2 cm)
OVERALL	7.6 in. (19.3 cm)
WEIGHT	2.8 oz. (79 g)
BOX	087171063966
CLAM	087171065359
OPENING	Manual opening with thumb stud
LOCK	DuraLock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Steel liners, custom pivot, custom backspacer, lanyard hole

STATIC
3445
a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, satin finish
HANDLE	Stainless steel, gray PVD coating
BLADE	2.9 in. (7.4 cm)
CLOSED	3.9 in. (9.8 cm)
OVERALL	6.75 in. (17.1 cm)
WEIGHT	4 oz. (113 g)
BOX	087171055749
CLAM	087171059037
OPENING	Manual KVT ball-bearing opening with flipper
LOCK	Frame lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Weight-relieving handle window

REVERB
1220
a KERSHAW ORIGINALS design



STEEL	8Cr13MoV, titanium carbo-nitride coating with satin flats
HANDLE	G10, carbon fiber overlay front; steel back, titanium carbo-nitride coating
BLADE	2.5 in. (6.4 cm)
CLOSED	3.25 in. (8.3 cm)
OVERALL	6.1 in. (15.6 cm)
WEIGHT	1.6 oz. (46 g)
BOX	087171048642
CLAM	087171048765
OPENING	Manual opening with nail nick
LOCK	Frame lock
POCKETCLIP	Single-position extra-deep-carry, (right, tip-up)
FEATURES	Carabiner clip

FAULTLINE
8760
a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide coating
HANDLE	Glass-filled nylon, rubber insert
BLADE	3 in. (7.6 cm)
CLOSED	4 in. (10.2 cm)
OVERALL	7 in. (17.8 cm)
WEIGHT	3.4 oz. (99 g)
BOX	087171052762
CLAM	087171053516
OPENING	Manual KVT ball-bearing opening with flipper
LOCK	Inset liner lock
POCKETCLIP	Single-position deep-carry (right, tip-up)

CHILL
3410
an RJ MARTIN design

STEEL	8Cr13MoV, bead-blasted finish
HANDLE	G10
BLADE	3.1 in. (7.9 cm)
CLOSED	3.9 in. (9.8 cm)
OVERALL	7 in. (17.8 cm)
WEIGHT	2 oz. (57 g)
BOX	087171030432
CLAM	087171030456
OPENING	Manual opening with flipper
LOCK	Liner lock
POCKETCLIP	Reversible (right, tip-up/down)
FEATURES	Lanyard hole

LUCHA
5150
a KERSHAW ORIGINALS design



STEEL	14C28N, stonewashed finish
HANDLE	Stainless steel, bead-blasted finish
BLADE	4.6 in. (11.7 cm)
CLOSED	5.8 in. (15 cm)
OVERALL	10.25 in. (26 cm)
WEIGHT	5.9 oz. (168 g)
BOX	087171058412

OPENING	Dual KVT ball-bearing opening
LOCK	Latch
FEATURES	Anti-stick latch with rounded head profile, steel internal stop pins

LUCHA - BLACKWASH™
5150BW
a KERSHAW ORIGINALS design

STEEL	14C28N, black-oxide BlackWash™ finish
HANDLE	Stainless steel, black-oxide BlackWash™ finish
BLADE	4.6 in. (11.7 cm)
CLOSED	5.8 in. (15 cm)
OVERALL	10.25 in. (26 cm)
WEIGHT	5.9 oz. (168 g)
BOX	087171060446

OPENING	Dual KVT ball-bearing opening
LOCK	Latch
FEATURES	Anti-stick latch with rounded head profile, steel internal stop pins

LUCHA - TRAINER
5150TR
a KERSHAW ORIGINALS design

STEEL	14C28N, stonewashed finish
HANDLE	Stainless steel, bead-blasted finish
BLADE	4.6 in. (11.7 cm) unsharpened
CLOSED	5.8 in. (15 cm)
OVERALL	10.25 in. (26 cm)
WEIGHT	6 oz. (170 g)
BOX	087171060187

OPENING	Dual KVT ball-bearing opening
LOCK	Latch
FEATURES	Unsharpened edge, rounded tip, anti-stick latch with rounded head profile, steel internal stop pins

BALANZA
4950TR
a KERSHAW ORIGINALS design

STEEL	Stainless steel, black-oxide BlackWash™ finish
HANDLE	Stainless steel, black-oxide BlackWash™ finish
BLADE	4.3 in. (10.9 cm)
CLOSED	5.6 in. (14.2 cm)
OVERALL	9.6 in. (24.4 cm)
WEIGHT	4.8 oz. (136 g)
BOX	087171064000
CLAM	-

OPENING	Dual KVT ball-bearing opening
LOCK	Latch
FEATURES	Unsharpened blade, rounded tip, latch, steel internal stop pins

KAPSULE

1190

a JENS ANSØ design

STEEL	8Cr13MoV, stonewashed finish
HANDLE	Glass-filled nylon
BLADE	1.9 in. (4.8 cm)
CLOSED	3.25 in. (8.3 cm)
OVERALL	5 in. (12.7 cm)
WEIGHT	2 oz. (57 g)
BOX	087171060644
CLAM	087171062464

OPENING	Manual with sliding button
LOCK	Sliding button lock
POCKETCLIP	Single-position deep-carry (right, tip-down)
FEATURES	Blue anodized aluminum button

CYBERNET

2046

a KERSHAW ORIGINALS design

STEEL	D2, satin finish with stonewashed flats
HANDLE	Stainless steel, stonewashed finish
BLADE	2.4 in. (6.1 cm)
CLOSED	3.55 in. (9 cm)
OVERALL	5.95 in. (15.1 cm)
WEIGHT	3.1 oz. (88 g)
BOX	087171064871
CLAM	-

OPENING	Manual opening with sliding button
LOCK	Sliding button
POCKETCLIP	Single position deep-carry (right, tip-up)
FEATURES	Steel button, bronze PVD coating, unique deep-carry pocketclip

INTERSTELLAR

1195

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide BlackWash™ finish
HANDLE	Glass-filled nylon
BLADE	2.7 in. (6.9 cm)
CLOSED	4.25 in. (10.8 cm)
OVERALL	6.9 in. (17.5 cm)
WEIGHT	3.1 oz. (88 g)
BOX	087171063225
CLAM	087171065847

OPENING	Manual with sliding button
LOCK	Sliding button lock
POCKETCLIP	Single-position deep-carry (right, tip-up)
FEATURES	Partially serrated blade, backspacer with integrated bottle opener

CQC-4K
6054BRNBLK
an ERNEST EMERSON design

STEEL	8Cr14MoV, black-oxide coating
HANDLE	G10 front; 410 stainless steel back, black-oxide coating
BLADE	3.25 in. (8.3 cm)
CLOSED	4.2 in. (10.7 cm)
OVERALL	7.4 in. (18.8 cm)
WEIGHT	4.1 oz. (116 g)
BOX	087171037592
CLAM	-
OPENING	Manual opening with thumb disk or Emerson Wave Shaped Feature®
LOCK	Frame lock
POCKETCLIP	Reversible (right/left, tip-up)
FEATURES	Lanyard hole

CQC-6K D2
6034D2
an ERNEST EMERSON design

STEEL	D2, stonewashed finish with satin flats
HANDLE	G10 front; 410 stainless steel back, bead-blasted finish
BLADE	3.25 in. (8.3 cm)
CLOSED	4.5 in. (11.4 cm)
OVERALL	7.75 in. (19.7 cm)
WEIGHT	5.1 oz. (146 g)
BOX	087171056166
CLAM	-
OPENING	Manual opening with thumb disk or Emerson Wave Shaped Feature®
LOCK	Frame lock
POCKETCLIP	Reversible (right/left, tip-up)
FEATURES	Lanyard hole

CQC-7K
6034T
an ERNEST EMERSON design

STEEL	8Cr14MoV, stonewashed finish with satin flats
HANDLE	G10 front; 410 stainless steel back, bead-blasted finish
BLADE	3.25 in. (8.3 cm)
CLOSED	4.5 in. (11.4 cm)
OVERALL	7.75 in. (19.7 cm)
WEIGHT	5 oz. (142 g)
BOX	087171037295
CLAM	-
OPENING	Manual opening with thumb disk or Emerson Wave Shaped Feature®
LOCK	Frame lock
POCKETCLIP	Reversible (right/left, tip-up)
FEATURES	Lanyard hole

CQC-8K
6044TBLK
an ERNEST EMERSON design

STEEL	8Cr14MoV, black-oxide coating
HANDLE	G10
BLADE	3.5 in. (8.9 cm)
CLOSED	4.6 in. (11.7 cm)
OVERALL	8.1 in. (20.6 cm)
WEIGHT	5.3 oz. (152 g)
BOX	087171037318
CLAM	-
OPENING	Manual opening with thumb disk or Emerson Wave Shaped Feature®
LOCK	Liner lock
POCKETCLIP	Reversible (right/left, tip-up)
FEATURES	Lanyard hole

E-TRAIN
6034TRAINER
an ERNEST EMERSON design

STEEL	3Cr13, stonewashed finish
HANDLE	G10 front; 410 stainless steel back, bead-blasted finish
BLADE	3.2 in. (8.1 cm) unsharpened
CLOSED	4.5 in. (11.4 cm)
OVERALL	7.7 in. (19.6 cm)
WEIGHT	5.1 oz. (146 g)
BOX	08717039664
CLAM	-
OPENING	Manual opening with thumb disk or Emerson Wave Shaped Feature®
LOCK	Frame lock
POCKETCLIP	Reversible (right/left, tip-up)
FEATURES	Unsharpened blade, rounded tip, lanyard hole

EDC-ASSISTED SECTION

OVERVIEW

74 TOTAL • 4 NEW
34 MADE IN USA
38 ORIGINAL DESIGNS
4 PREMIUM BLADE STEEL

Kershaw's assisted opening knives are ultra-fast and ultra-reliable. When closed, a torsion bar in the handle creates a bias toward the closed position. To open the knife, apply manual pressure to the thumb stud or flipper to overcome the torsion bar's resistance and open the knife.

LINK - OLIVE, STONEWASHED

1776OLSW

a KERSHAW ORIGINALS design

STEEL	CPM MagnaCut, stonewashed finish
HANDLE	6061-T6 aluminum, olive anodized
BLADE	3.25 in. (8.4 cm)
CLOSED	4.4 in. (11.2 cm)
OVERALL	7.6 in. (19.3 cm)
WEIGHT	4.7 oz. (134 g)
BOX	087171058474
CLAM	-
OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Lanyard hole

NEW

LEEK - KINGS CAMO™

1660KC

a KEN ONION design

STEEL	14C28N, black-oxide BlackWash™ finish
HANDLE	6061-T6 aluminum, custom CCI coating
BLADE	3 in. (7.6 cm)
CLOSED	4 in. (10.2 cm)
OVERALL	7 in. (17.9 cm)
WEIGHT	2.6 oz. (74 g)
BOX	087171072500
CLAM	-
OPENING	Assisted opening with flipper
LOCK	Liner lock with Tip-Lock Slider
POCKETCLIP	Reversible (right, tip-up/down)
FEATURES	Lanyard hole

LEEK - RAINBOW TROUT

1660TROUT

a KEN ONION design

STEEL	14C28N, bead-blasted finish
HANDLE	6061-T6 aluminum, custom CCI coating
BLADE	3 in. (7.6 cm)
CLOSED	4 in. (10.2 cm)
OVERALL	7 in. (17.9 cm)
WEIGHT	2.6 oz. (74 g)
BOX	087171069432
CLAM	-
OPENING	Assisted opening with flipper
LOCK	Liner lock with Tip-Lock Slider
POCKETCLIP	Reversible (right, tip-up/down)
FEATURES	Lanyard hole

LEEK - USA FLAG

1660USA

a KEN ONION design



STEEL	14C28N, bead-blasted finish
HANDLE	6061-T6 aluminum, custom CCI coating
BLADE	3 in. (7.6 cm)
CLOSED	4 in. (10.2 cm)
OVERALL	7 in. (17.9 cm)
WEIGHT	2.6 oz. (74 g)
BOX	087171069449
CLAM	-
OPENING	Assisted opening with flipper
LOCK	Liner lock with Tip-Lock Slider
POCKETCLIP	Reversible (right, tip-up/down)
FEATURES	Lanyard hole

LEEK

1660ST • 1660

a KEN ONION design

1660

1660ST

STEEL	14C28N, bead-blasted finish
HANDLE	410 stainless steel, bead-blasted finish
BLADE	3 in. (7.6 cm)
CLOSED	4 in. (10.2 cm)
OVERALL	7 in. (17.9 cm)
WEIGHT	3 oz. (85 g)
BOX	087171166100 serrated 087171166001 plain
CLAM	087171166117 serrated 087171166018 plain
OPENING	Assisted opening with flipper
LOCK	Frame lock with Tip-Lock Slider
POCKETCLIP	Reversible (right, tip-up/down)
FEATURES	Lanyard hole

LEEK - BLACK

1660CKTST • 1660CKT

a KEN ONION design

1660CKT

1660CKTST

STEEL	14C28N, black Cerakote coating
HANDLE	410 stainless steel, black Cerakote coating
BLADE	3 in. (7.6 cm)
CLOSED	4 in. (10.2 cm)
OVERALL	7 in. (17.9 cm)
WEIGHT	3 oz. (85 g)
BOX	087171166148 serrated 087171166049 plain
CLAM	087171166216 plain

OPENING	Assisted opening with flipper
LOCK	Frame lock with Tip-Lock Slider
POCKETCLIP	Reversible (right, tip-up/down)
FEATURES	Lanyard hole

LEEK - BLACK, STONEWASH

1660SWBLK

a KEN ONION design

STEEL	14C28N, stonewashed finish
HANDLE	6061-T6 aluminum, black anodized
BLADE	3 in. (7.6 cm)
CLOSED	4 in. (10.2 cm)
OVERALL	7 in. (17.9 cm)
WEIGHT	2.4 oz. (68 g)
BOX	087171035079
CLAM	-

OPENING	Assisted opening with flipper
LOCK	Liner lock with Tip-Lock Slider
POCKETCLIP	Reversible (right, tip-up/down)
FEATURES	Lanyard hole

LEEK - BLACKWASH™

1660BLKW

a KEN ONION design

STEEL	14C28N, black-oxide BlackWash™ finish
HANDLE	410 stainless steel, black-oxide BlackWash™ finish
BLADE	3 in. (7.6 cm)
CLOSED	4 in. (10.2 cm)
OVERALL	7 in. (17.9 cm)
WEIGHT	3 oz. (85 g)
BOX	087171038049
CLAM	087171166490

OPENING	Assisted opening with flipper
LOCK	Frame lock with Tip-Lock Slider
POCKETCLIP	Reversible (right, tip-up/down)
FEATURES	Lanyard hole

RANDOM LEEK

1660R

a KEN ONION design

STEEL	14C28N, bead-blasted finish
HANDLE	410 stainless steel, bead-blasted finish
BLADE	3 in. (7.6 cm)
CLOSED	4 in. (10.2 cm)
OVERALL	7 in. (17.9 cm)
WEIGHT	2.9 oz. (82 g)
BOX	087171060958
CLAM	-

OPENING	Assisted opening with flipper
LOCK	Frame lock with Tip-Lock Slider
POCKETCLIP	Reversible (right, tip-up/down)
FEATURES	Reverse tanto blade, lanyard hole

RANDOM LEEK - BLACKWASH™

1660RBW

a KEN ONION design

STEEL	14C28N, black-oxide BlackWash™ finish
HANDLE	410 stainless steel, black-oxide BlackWash™ finish
BLADE	3 in. (7.6 cm)
CLOSED	4 in. (10.2 cm)
OVERALL	7 in. (17.9 cm)
WEIGHT	2.9 oz. (82 g)
BOX	087171060965
CLAM	-

OPENING	Assisted opening with flipper
LOCK	Frame lock with Tip-Lock Slider
POCKETCLIP	Reversible (right, tip-up/down)
FEATURES	Reverse tanto blade, lanyard hole

LEEK - TEAL

1660TEAL

a KEN ONION design

STEEL	14C28N, bead-blasted finish
HANDLE	6061-T6 aluminum, teal anodized
BLADE	3 in. (7.6 cm)
CLOSED	4 in. (10.2 cm)
OVERALL	7 in. (17.9 cm)
WEIGHT	2.4 oz. (68 g)
BOX	087171037561
CLAM	-
OPENING	Assisted opening with flipper
LOCK	Liner lock with Tip-Lock Slider
POCKETCLIP	Reversible (right, tip-up/down)
FEATURES	Lanyard hole

LEEK - OLIVE

1660OL

a KEN ONION design

STEEL	14C28N, bead-blasted finish
HANDLE	6061-T6 aluminum, olive anodized
BLADE	3 in. (7.6 cm)
CLOSED	4 in. (10.2 cm)
OVERALL	7 in. (17.9 cm)
WEIGHT	2.4 oz. (68 g)
BOX	087171035116
CLAM	087171035123
OPENING	Assisted opening with flipper
LOCK	Liner lock with Tip-Lock Slider
POCKETCLIP	Reversible (right, tip-up/down)
FEATURES	Lanyard hole

LEEK - ORANGE

1660OR

a KEN ONION design

STEEL	14C28N, bead-blasted finish
HANDLE	6061-T6 aluminum, orange anodized
BLADE	3 in. (7.6 cm)
CLOSED	4 in. (10.2 cm)
OVERALL	7 in. (17.9 cm)
WEIGHT	2.4 oz. (68 g)
BOX	087171035130
CLAM	087171035147
OPENING	Assisted opening with flipper
LOCK	Liner lock with Tip-Lock Slider
POCKETCLIP	Reversible (right, tip-up/down)
FEATURES	Lanyard hole

LEEK - PURPLE

1660PUR

a KEN ONION design

STEEL	14C28N, bead-blasted finish
HANDLE	6061-T6 aluminum, purple anodized
BLADE	3 in. (7.6 cm)
CLOSED	4 in. (10.2 cm)
OVERALL	7 in. (17.9 cm)
WEIGHT	2.4 oz. (68 g)
BOX	087171035093
CLAM	-
OPENING	Assisted opening with flipper
LOCK	Liner lock with Tip-Lock Slider
POCKETCLIP	Reversible (right, tip-up/down)
FEATURES	Lanyard hole

NEW

BLUR - USA FLAG

1670USA

a KEN ONION design

STEEL	14C28N, stonewashed finish
HANDLE	6061-T6 aluminum, custom CCI coating, clear Trac-Tec inserts
BLADE	3.4 in. (8.6 cm)
CLOSED	4.5 in. (11.4 cm)
OVERALL	7.9 in. (20 cm)
WEIGHT	4 oz. (113 g)
BOX	087171073996
CLAM	-

OPENING	Assisted opening with thumb stud
LOCK	Inset liner lock
POCKETCLIP	Reversible (right, tip-up/down)
FEATURES	Lanyard hole

NEW

BLUR - KINGS CAMO™

1670KC

a KEN ONION design

STEEL	14C28N, stonewashed finish
HANDLE	6061-T6 aluminum, custom CCI coating, clear Trac-Tec inserts
BLADE	3.4 in. (8.6 cm)
CLOSED	4.5 in. (11.4 cm)
OVERALL	7.9 in. (20 cm)
WEIGHT	4 oz. (113 g)
BOX	087171072869
CLAM	-

OPENING	Assisted opening with thumb stud
LOCK	Inset liner lock
POCKETCLIP	Reversible (right, tip-up/down)
FEATURES	Lanyard hole

BLUR - BLACK

1670BLKST • 1670BLK

a KEN ONION design

1670BLK

1670BLKST

STEEL	14C28N, black Cerakote coating
HANDLE	6061-T6 aluminum, black anodized, Trac-Tec inserts
BLADE	3.4 in. (8.6 cm)
CLOSED	4.5 in. (11.4 cm)
OVERALL	7.9 in. (20 cm)
WEIGHT	3.9 oz. (111 g)
BOX	087171167107 serrated 087171167008 plain
CLAM	087171167114 serrated

OPENING	Assisted opening with thumb stud
LOCK	Inset liner lock
POCKETCLIP	Reversible (right, tip-up/down)
FEATURES	Lanyard hole

BLUR - BLACKWASH™

1670BW

a KEN ONION design

STEEL	14C28N, black-oxide BlackWash™ coating
HANDLE	6061-T6 aluminum, black anodized, Trac-Tec inserts
BLADE	3.4 in. (8.6 cm)
CLOSED	4.5 in. (11.4 cm)
OVERALL	7.9 in. (20 cm)
WEIGHT	3.9 oz. (111 g)
BOX	087171036335
CLAM	-

OPENING	Assisted opening with thumb stud
LOCK	Inset liner lock
POCKETCLIP	Reversible (right, tip-up/down)
FEATURES	Lanyard hole

BLUR - NAVY BLUE, STONEWASH

1670NBSW

a KEN ONION design

STEEL	14C28N, stonewashed finish
HANDLE	6061-T6 aluminum, blue anodized, Trac-Tec inserts
BLADE	3.4 in. (8.6 cm)
CLOSED	4.5 in. (11.4 cm)
OVERALL	7.9 in. (20 cm)
WEIGHT	3.9 oz. (111 g)
BOX	087171039473
CLAM	-

OPENING	Assisted opening with thumb stud
LOCK	Inset liner lock
POCKETCLIP	Reversible (right, tip-up/down)
FEATURES	Lanyard hole

BLUR - OLIVE, BLACK

1670OLBLK

a KEN ONION design

STEEL	14C28N, black Cerakote coating
HANDLE	6061-T6 aluminum, olive anodized, Trac-Tec inserts
BLADE	3.4 in. (8.6 cm)
CLOSED	4.5 in. (11.4 cm)
OVERALL	7.9 in. (20 cm)
WEIGHT	3.9 oz. (111 g)
BOX	087171031644
CLAM	-

OPENING	Assisted opening with thumb stud
LOCK	Inset liner lock
POCKETCLIP	Reversible (right, tip-up/down)
FEATURES	Lanyard hole

BLUR - GLASS BREAKER, BLACK, SERRATED

1670GBBLKST

a KEN ONION design

STEEL	14C28N, black Cerakote coating
HANDLE	6061-T6 aluminum, black anodized, Trac-Tec inserts
BLADE	3.4 in. (8.6 cm)
CLOSED	4.5 in. (11.4 cm)
OVERALL	7.9 in. (20 cm)
WEIGHT	3.9 oz. (111 g)
BOX	087171033761
CLAM	-
OPENING	Assisted opening with thumb stud
LOCK	Inset liner lock
POCKETCLIP	Reversible (right, tip-up/down)
FEATURES	Carbide glassbreaker tip, lanyard hole

BLUR - TANTO, BLACK, SERRATED

1670TBLKST

a KEN ONION design

STEEL	14C28N, black Cerakote coating
HANDLE	6061-T6 aluminum, black anodized, Trac-Tec inserts
BLADE	3.4 in. (8.6 cm)
CLOSED	4.5 in. (11.4 cm)
OVERALL	7.9 in. (20 cm)
WEIGHT	3.9 oz. (111 g)
BOX	087171167602
CLAM	087171167336
OPENING	Assisted opening with thumb stud
LOCK	Inset liner lock
POCKETCLIP	Reversible (right, tip-up/down)
FEATURES	Lanyard hole

BLUR - S30V, BLACK, STONEWASH

1670S30V

a KEN ONION design

STEEL	CPM S30V, stonewashed finish
HANDLE	6061-T6 aluminum, black anodized, Trac-Tec inserts
BLADE	3.4 in. (8.6 cm)
CLOSED	4.5 in. (11.4 cm)
OVERALL	7.9 in. (20 cm)
WEIGHT	4 oz. (113 g)
BOX	087171167275
CLAM	-
OPENING	Assisted opening with thumb stud
LOCK	Inset liner lock
POCKETCLIP	Reversible (right, tip-up/down)
FEATURES	Lanyard hole

SCALLION

1620ST • 1620

a KEN ONION design

1620

1620ST

STEEL	420HC, bead-blasted finish
HANDLE	Glass-filled nylon
BLADE	2.4 in. (6.1 cm)
CLOSED	3.5 in. (8.9 cm)
OVERALL	5.75 in. (14.6 cm)
WEIGHT	2.3 oz. (65 g)
BOX	087171162102 serrated 087171162003 plain
CLAM	087171162010 plain
OPENING	Assisted opening with flipper
LOCK	Liner lock with Tip-Lock Slider
POCKETCLIP	Single-position (right, tip-down)
FEATURES	Lanyard hole

SCALLION - STAINLESS

1620FL

a KEN ONION design

STEEL	420HC, bead-blasted finish
HANDLE	410 stainless steel, bead-blasted finish
BLADE	2.4 in. (6.1 cm)
CLOSED	3.5 in. (8.9 cm)
OVERALL	5.75 in. (14.6 cm)
WEIGHT	2.9 oz. (82 g)
BOX	087171162201
CLAM	087171162225
OPENING	Assisted opening with flipper
LOCK	Frame lock with Tip-Lock Slider
POCKETCLIP	Single-position (right, tip-down)
FEATURES	Lanyard hole

SCALLION - NAVY BLUE

1620NB

a KEN ONION design

STEEL	420HC, bead-blasted finish
HANDLE	6061-T6 aluminum, navy blue anodized
BLADE	2.4 in. (6.1 cm)
CLOSED	3.5 in. (8.9 cm)
OVERALL	5.75 in. (14.6 cm)
WEIGHT	2.5 oz. (71 g)
BOX	087171035178
CLAM	087171035185
OPENING	Assisted opening with flipper
LOCK	Liner lock with Tip-Lock Slider
POCKETCLIP	Single-position (right, tip-down)
FEATURES	Lanyard hole

SCALLION - OLIVE

16200L

a KEN ONION design

STEEL	420HC, bead-blasted finish
HANDLE	6061-T6 aluminum, olive anodized
BLADE	2.4 in. (6.1 cm)
CLOSED	3.5 in. (8.9 cm)
OVERALL	5.75 in. (14.6 cm)
WEIGHT	2.5 oz. (71 g)
BOX	087171035192
CLAM	087171035208
OPENING	Assisted opening with flipper
LOCK	Liner lock with Tip-Lock Slider
POCKETCLIP	Single-position (right, tip-down)
FEATURES	Lanyard hole

SCALLION - PURPLE

1620PUR

a KEN ONION design

STEEL	420HC, bead-blasted finish
HANDLE	6061-T6 aluminum, purple anodized
BLADE	2.4 in. (6.1 cm)
CLOSED	3.5 in. (8.9 cm)
OVERALL	5.75 in. (14.6 cm)
WEIGHT	2.5 oz. (71 g)
BOX	087171035154
CLAM	087171035161
OPENING	Assisted opening with flipper
LOCK	Liner lock with Tip-Lock Slider
POCKETCLIP	Single-position (right, tip-down)
FEATURES	Lanyard hole

CHIVE

1600

a KEN ONION design

STEEL	420HC, bead-blasted finish
HANDLE	410 stainless steel, bead-blasted finish
BLADE	1.9 in. (4.8 cm)
CLOSED	2.9 in. (7.4 cm)
OVERALL	4.8 in. (12.2 cm)
WEIGHT	1.7 oz. (48 g)
BOX	087171160009
CLAM	087171160016
OPENING	Assisted opening with flipper
LOCK	Frame lock with Tip-Lock Slider
POCKETCLIP	Single-position (right, tip-down)
FEATURES	Lanyard hole

CHIVE - PINK

1600PINK

a KEN ONION design

STEEL	420HC, bead-blasted finish
HANDLE	6061-T6 aluminum, pink anodized
BLADE	1.9 in. (4.8 cm)
CLOSED	2.9 in. (7.4 cm)
OVERALL	4.8 in. (12.2 cm)
WEIGHT	1.5 oz. (43 g)
BOX	087171160276
CLAM	-
OPENING	Assisted opening with flipper
LOCK	Liner lock with Tip-Lock Slider
POCKETCLIP	Single-position (right, tip-down)
FEATURES	Lanyard hole

kershaw

NEW

SHORELINE - BASS

1845BASS

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, stonewashed finish
HANDLE	Aluminum, custom CCI coating
BLADE	3 in. (7.6 cm)
CLOSED	4.15 in. (10.5 cm)
OVERALL	7.15 in. (18.2 cm)
WEIGHT	3.2 oz. (91 g)
BOX	087171072432
CLAM	-

OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	Single-position deep-carry (right, tip-up)
FEATURES	Custom backspacer

SHORELINE

1845

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, stonewashed finish
HANDLE	Glass-filled nylon
BLADE	3 in. (7.6 cm)
CLOSED	4.1 in. (10.4 cm)
OVERALL	7.1 in. (18 cm)
WEIGHT	2.6 oz. (74 g)
BOX	087171064062
CLAM	087171065090

OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Lanyard hole, custom backspacer

SHORELINE - SERRATED

1845ST

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, stonewashed finish
HANDLE	Glass-filled nylon
BLADE	3 in. (7.6 cm)
CLOSED	4.1 in. (10.4 cm)
OVERALL	7.1 in. (18 cm)
WEIGHT	2.6 oz. (74 g)
BOX	087171069562
CLAM	-

OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Lanyard hole, partially serrated blade, custom backspacer

CONDUIT

1407

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide coating
HANDLE	Glass-filled nylon
BLADE	2.9 in. (7.4 cm)
CLOSED	3.9 in. (9.9 cm)
OVERALL	6.8 in. (17.3 cm)
WEIGHT	2.6 oz. (74 g)
BOX	087171064420
CLAM	087171065120

OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Lanyard hole

CONDUIT - SERRATED

1407ST

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide coating
HANDLE	Glass-filled nylon
BLADE	2.9 in. (7.4 cm)
CLOSED	3.9 in. (9.9 cm)
OVERALL	6.8 in. (17.3 cm)
WEIGHT	2.6 oz. (74 g)
BOX	087171069579
CLAM	-

OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Partially serrated blade, lanyard hole

BRAWLER - SERRATED

1990ST

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide coating
HANDLE	Glass-filled nylon
BLADE	3 in. (7.6 cm)
CLOSED	4.1 in. (10.5 cm)
OVERALL	7.1 in. (18 cm)
WEIGHT	3.9 oz. (111 g)
BOX	087171069593
CLAM	-

OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	4-position (right/left, tip-up/down)
FEATURES	Partially serrated blade

BRAWLER

1990

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide coating
HANDLE	Glass-filled nylon
BLADE	3 in. (7.6 cm)
CLOSED	4.1 in. (10.5 cm)
OVERALL	7.1 in. (18 cm)
WEIGHT	3.9 oz. (111 g)
BOX	087171033044
CLAM	087171033075

OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	4-position (right/left, tip-up/down)

OUTRIGHT - BLACK, SERRATED

8320BLKST

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black PVD coating
HANDLE	Stainless steel, black PVD coating, G10 overlay front
BLADE	3 in. (7.6 cm)
CLOSED	4.4 in. (11.1 cm)
OVERALL	7.1 in. (18.1 cm)
WEIGHT	4 oz. (113 g)
BOX	087171069555
CLAM	-

OPENING	Assisted opening with flipper or thumb stud
LOCK	Frame lock
POCKETCLIP	Single-position deep-carry (right, tip-down)
FEATURES	Partially serrated blade

OUTRIGHT - BLACK

8320BLK

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black PVD coating
HANDLE	Stainless steel, black PVD coating, G10 overlay front
BLADE	3 in. (7.6 cm)
CLOSED	4.4 in. (11.1 cm)
OVERALL	7.1 in. (18.1 cm)
WEIGHT	4 oz. (114 g)
BOX	087171061061
CLAM	-

OPENING	Assisted opening with flipper or thumb stud
LOCK	Frame lock
POCKETCLIP	Single-position deep-carry (right, tip-down)

OUTRIGHT

8320

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, blue PVD coating
HANDLE	Stainless steel, blue PVD coating, G10 overlay front
BLADE	3 in. (7.6 cm)
CLOSED	4.4 in. (11.1 cm)
OVERALL	7.1 in. (18.1 cm)
WEIGHT	4 oz. (114 g)
BOX	087171052298
CLAM	-

OPENING	Assisted opening with flipper or thumb stud
LOCK	Frame lock
POCKETCLIP	Single-position deep-carry (right, tip-down)

OUTCOME - RAINBOW

2044RBW

a KERSHAW ORIGINALS design









STEEL	8Cr13MoV, polished rainbow PVD coating
HANDLE	Stainless steel, polished rainbow PVD coating
BLADE	2.8 in. (7.1 cm)
CLOSED	3.9 in. (9.9 cm)
OVERALL	6.7 in. (17 cm)
WEIGHT	3.4 oz. (96 g)
BOX	087171068831
CLAM	-
OPENING	Assisted opening with flipper
LOCK	Frame lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Custom backspacer

OUTCOME

2044

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, stonewashed finish
HANDLE	Stainless steel, bead-blasted finish
BLADE	2.8 in. (7.1 cm)
CLOSED	3.9 in. (9.9 cm)
OVERALL	6.7 in. (17 cm)
WEIGHT	3.4 oz. (96 g)
BOX	087171064543
CLAM	087171065113
OPENING	Assisted opening with flipper
LOCK	Frame lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Custom backspacer

DAWNSTAR

1423

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide BlackWash™ finish
HANDLE	Glass-filled nylon
BLADE	3.5. (8.9 cm)
CLOSED	4.4 in. (11.2 cm)
OVERALL	7.9 in. (20.1 cm)
WEIGHT	3.4 oz. (96 g)
BOX	087171067414
CLAM	-
OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	Reversible extra-deep-carry (right/left, tip-up)
FEATURES	Hawkbill blade, custom backspacer

LAYUP

2047

a KERSHAW ORIGINALS design

STEEL	D2, stonewashed finish
HANDLE	Glass-filled nylon
BLADE	3.4 in. (8.6 cm)
CLOSED	4.5 in. (11.4 cm)
OVERALL	7.9 in. (20.1 cm)
WEIGHT	3.6 oz. (102 g)
BOX	087171065748
CLAM	087171067476
OPENING	Assisted opening with flipper
LOCK	DuraLock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Steel accents with blue PVD coating

HELITACK

5570

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, gray PVD coating
HANDLE	Stainless steel, gray PVD coating
BLADE	3.26 in. (8.3 cm)
CLOSED	4.49 in. (11.4 cm)
OVERALL	7.75 in. (19.7 cm)
WEIGHT	3.8 oz. (108 g)
BOX	087171066370
CLAM	087171067957
OPENING	Assisted opening with flipper
LOCK	Frame lock
POCKETCLIP	Reversible extra-deep-carry (right/left, tip-up)
FEATURES	Lanyard hole

THERMAL

1411

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black oxide coating with satin grinds
HANDLE	Stainless steel, gray PVD coating
BLADE	2.95 in. (7.5 cm)
CLOSED	4.1 in. (10.4 cm)
OVERALL	7.05 in. (17.9 cm)
WEIGHT	4.3 oz. (122 g)
BOX	087171065717
CLAM	-
OPENING	Assisted opening with flipper
LOCK	Frame lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Custom backspacer

SCOUR

1416

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, bead-blasted finish
HANDLE	Stainless steel, bead-blasted finish
BLADE	3.3 in. (8.4 cm)
CLOSED	4.45 in. (11.3 cm)
OVERALL	7.75 in. (19.7 cm)
WEIGHT	4.3 oz. (122 g)
BOX	087171065854
CLAM	087171067971
OPENING	Assisted opening with flipper
LOCK	Frame lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Lanyard hole

SANCTUM
1815
a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide BlackWash™ finish
HANDLE	Stainless steel, gray PVD coating
BLADE	2.98 in. (7.6 cm)
CLOSED	4.22 in. (10.7 cm)
OVERALL	7.2 in. (18.3 cm)
WEIGHT	3.7 oz. (105 g)
BOX	087171066622
CLAM	087171067964

OPENING	Assisted opening with flipper
LOCK	Frame lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Lanyard hole, custom backspacer

ALIGN
1405
a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, satin finish
HANDLE	Stainless steel, gray PVD coating
BLADE	3.15 in. (8 cm)
CLOSED	4.1 in. (10.4 cm)
OVERALL	7.25 in. (18.4 cm)
WEIGHT	3.6 oz. (102 g)
BOX	087171064383
CLAM	087171065397

OPENING	Assisted opening with flipper
LOCK	Frame lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Lanyard hole, custom backspacer

RATE
1408
a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, stonewashed finish
HANDLE	Stainless steel, bead-blasted finish
BLADE	1.85 in. (4.7 cm)
CLOSED	3 in. (7.6 cm)
OVERALL	4.85 in. (12.3 cm)
WEIGHT	2.5 oz. (71 g)
BOX	087171064789
CLAM	-

OPENING	Assisted opening with flipper
LOCK	Frame lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Lanyard hole, custom backspacer

LATERAL
1645
a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, stonewashed finish
HANDLE	Glass-filled nylon
BLADE	3.1 in. (7.9 cm)
CLOSED	4.3 in. (10.9 cm)
OVERALL	7.4 in. (18.8 cm)
WEIGHT	3.2 oz. (91 g)
BOX	087171064048
CLAM	087171065144

OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	Reversible extra-deep-carry (right/left, tip-up)
FEATURES	Lanyard hole, custom backspacer

LATERAL - BLACK SERRATED
1645BLKST
a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide coating
HANDLE	Glass-filled nylon
BLADE	3.1 in. (7.9 cm)
CLOSED	4.3 in. (10.9 cm)
OVERALL	7.4 in. (18.8 cm)
WEIGHT	3.2 oz. (91 g)
BOX	087171064055
CLAM	-

OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	Reversible extra-deep-carry (right/left, tip-up)
FEATURES	Lanyard hole, custom backspacer

RADAR
5560
a KERSHAW ORIGINALS design



STEEL	8Cr13MoV, black-oxide BlackWash™ finish
HANDLE	Stainless steel, black-oxide BlackWash™ finish
BLADE	2.9 in. (7.4 cm)
CLOSED	3.8 in. (9.7 cm)
OVERALL	6.7 in. (17 cm)
WEIGHT	3.3 oz. (94 g)
BOX	087171064512
CLAM	-

OPENING	Assisted opening with flipper
LOCK	Frame lock
POCKETCLIP	4-position deep-carry (right/left, tip-up/down)
FEATURES	Lanyard hole

ANALYST
2062ST
a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide BlackWash™ finish
HANDLE	Glass filled nylon
BLADE	3.25 in. (8.3 cm)
CLOSED	4.25 in. (10.8 cm)
OVERALL	7.5 in. (19 cm)
WEIGHT	3.5 oz. (99 g)
BOX	087171060699
CLAM	087171062495

OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	4-position deep-carry (right/left; tip-up/down)
FEATURES	Lanyard hole, blade serrations

LUCID
2036
a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, stonewashed finish
HANDLE	Glass-filled nylon front, stainless steel back, stonewashed finish
BLADE	3.2 in. (8.1 cm)
CLOSED	4.2 in. (10.7 cm)
OVERALL	7.4 in. (18.8 cm)
WEIGHT	4.3 oz. (122 g)
BOX	087171063683
CLAM	087171065380

OPENING	Assisted opening with flipper
LOCK	Frame lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Decorative pivot and pivot collar, custom backspacer, back handle inlay

CANNONBALL
2061
a KERSHAW ORIGINALS design

STEEL	D2, black-oxide BlackWash™ finish
HANDLE	Stainless steel, gray PVD coating
BLADE	3.5 in. (8.9 cm)
CLOSED	4.5 in. (11.4 cm)
OVERALL	8 in. (20.3 cm)
WEIGHT	5.4 oz. (153 g)
BOX	087171060163
CLAM	-

OPENING	Assisted opening with flipper
LOCK	Frame lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Decorative pivot cap, custom backspacer, lanyard hole

BRACKET
3455
a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, stonewashed finish
HANDLE	Glass-filled nylon front, stainless steel back, stonewashed finish
BLADE	3.4 in. (8.6 cm)
CLOSED	4.4 in. (11.2 cm)
OVERALL	7.75 in. (19.7 cm)
WEIGHT	4.3 oz. (122 g)
BOX	087171060392
CLAM	087171062549

OPENING	Assisted opening with flipper
LOCK	Frame Lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Lanyard hole

GRAVEL
2065
a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide BlackWash™ finish
HANDLE	Stainless steel, black-oxide BlackWash™ finish
BLADE	2.5 in. (6.4 cm)
CLOSED	3.5 in. (8.9 cm)
OVERALL	5.9 in. (15 cm)
WEIGHT	2.7 oz. (78 g)
BOX	087171056487
CLAM	087171056494
OPENING	Assisted opening with flipper
LOCK	Frame lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)

KURO - SERRATED
1835TBLKST
a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide coating
HANDLE	Glass-filled nylon
BLADE	3.1 in. (7.9 cm)
CLOSED	4.1 in. (10.5 cm)
OVERALL	7.25 in. (18.4 cm)
WEIGHT	3.2 oz. (90 g)
BOX	087171033747
CLAM	-
OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	3-position (right/left, tip-up; right, tip-down)
FEATURES	Lanyard hole

DUOJET
8300
a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, titanium carbo-nitride coating
HANDLE	Stainless steel, titanium carbo-nitride coating, dual carbon fiber inlays front
BLADE	3.25 in. (8.3 cm)
CLOSED	4.5 in. (11.4 cm)
OVERALL	7.75 in. (19.7 cm)
WEIGHT	4.8 oz. (137 g)
BOX	087171051956
CLAM	-
OPENING	Assisted opening with flipper or thumb stud
LOCK	Frame lock
POCKETCLIP	Single-position deep-carry (right, tip-down)
FEATURES	Lanyard hole

FRINGE
8310
a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, titanium carbo-nitride coating
HANDLE	Stainless steel, titanium carbo-nitride coating, carbon fiber inlay front
BLADE	3 in. (7.6 cm)
CLOSED	4.1 in. (10.5 cm)
OVERALL	7 in. (17.8 cm)
WEIGHT	3.5 oz. (101 g)
BOX	087171052281
CLAM	087171052786
OPENING	Assisted opening with flipper or thumb stud
LOCK	Frame lock
POCKETCLIP	Single-position deep-carry (right, tip-down)
FEATURES	Lanyard hole

OUTLIER
2064
a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide BlackWash™ finish
HANDLE	Glass-filled nylon, G10 texture
BLADE	2.6 in. (6.6 cm)
CLOSED	5 in. (12.7 cm)
OVERALL	7 in. (17.8 cm)
WEIGHT	3.6 oz. (102 g)
BOX	087171063188
OPENING	Assisted opening with flipper or thumb stud
LOCK	Liner lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Karambit-style blade; steel finger ring

GRID
2200
a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide coating
HANDLE	Stainless steel, titanium carbo-nitride coating
BLADE	3.7 in. (9.4 cm)
CLOSED	4.5 in. (11.4 cm)
OVERALL	8.4 in. (21.3 cm)
WEIGHT	5.3 oz. (150 g)
BOX	087171040912
CLAM	087171045597
OPENING	Assisted opening with flipper or thumb stud
LOCK	Frame lock
POCKETCLIP	Reversible (right/left, tip-up)

ERIS
1881
a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, stonewashed finish with satin flats
HANDLE	Stainless steel, titanium carbo-nitride coating
BLADE	3 in. (7.6 cm)
CLOSED	4.1 in. (10.4 cm)
OVERALL	7.2 in. (18.1 cm)
WEIGHT	4.7 oz. (133 g)
BOX	087171047737
CLAM	-
OPENING	Assisted opening with flipper
LOCK	Frame lock
POCKETCLIP	Reversible (right/left, tip-up)
FEATURES	Lanyard hole

FLOURISH
3935
a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide BlackWash™ finish with satin flats
HANDLE	G10 with carbon fiber overlay
BLADE	3.5 in. (8.9 cm)
CLOSED	5 in. (12.7 cm)
OVERALL	8.5 in. (21.6 cm)
WEIGHT	5.3 oz. (150 g)
BOX	087171048512
CLAM	-
OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	Reversible (right/left, tip-up)
FEATURES	Lanyard hole

FLITCH
3930
a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, stonewashed finish
HANDLE	Glass-filled nylon
BLADE	3.25 in. (8.3 cm)
CLOSED	4.6 in. (11.7 cm)
OVERALL	7.75 in. (19.7 cm)
WEIGHT	4.7 oz. (133 g)
BOX	087171048505
CLAM	-
OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)

BARSTOW
3960
a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide BlackWash™ finish
HANDLE	Glass-filled nylon
BLADE	3 in. (7.6 cm)
CLOSED	4 in. (10.1 cm)
OVERALL	7 in. (17.7 cm)
WEIGHT	3.4 oz. (98 g)
BOX	087171048628
CLAM	087171050454
OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Single-edge sharpened, anodized aluminum accents

OSO SWEET
1830
a KEN ONION design

STEEL	8Cr13MoV, satin finish
HANDLE	Glass-filled nylon
BLADE	3 in. (7.6 cm)
CLOSED	4.1 in. (10.5 cm)
OVERALL	7.1 in. (18 cm)
WEIGHT	2.8 oz. (80 g)
BOX	087171183008
CLAM	087171183015

OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	Reversible (right, tip-up/down)
FEATURES	Lanyard hole

CLASH - BLACK, SERRATED
1605CKTST
a KEN ONION design

STEEL	8Cr13MoV, black-oxide coating
HANDLE	Glass-filled nylon
BLADE	3.1 in. (7.9 cm)
CLOSED	4.25 in. (10.7 cm)
OVERALL	7.4 in. (18.7 cm)
WEIGHT	4.3 oz. (122 g)
BOX	087171031491
CLAM	-

OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	Reversible (right, tip-up/down)

CRYO
1555TI
a RICK HINDERER design

STEEL	8Cr13MoV, titanium carbo-nitride coating
HANDLE	410 stainless steel, titanium carbo-nitride coating
BLADE	2.75 in. (7 cm)
CLOSED	3.75 in. (9.5 cm)
OVERALL	6.5 in. (16.5 cm)
WEIGHT	4.1 oz. (116 g)
BOX	087171033686
CLAM	087171033693

OPENING	Assisted opening with flipper or thumb stud
LOCK	Frame lock with lockbar stabilizer
POCKETCLIP	4-position deep-carry (right/left, tip-up/down)
FEATURES	Lanyard hole

MULTI-FUNCTION SECTION

OVERVIEW

19 TOTAL • 2 NEW
2 MADE IN USA
17 ORIGINAL DESIGNS
2 PREMIUM BLADE STEEL

When you're looking for a knife that does more, look to our multifunction pocketknives. They incorporate additional handy features like screwdrivers or bottle openers and just add to the convenience of carrying a knife.

NEW

BEL AIR EMT

6110EMT

a KERSHAW ORIGINALS design

STEEL	CPM MagnaCut, black-oxide BlackWash™ finish
HANDLE	G10
BLADE	3.25 in. (8.3 cm)
CLOSED	4.61 in. (11.7 cm)
OVERALL	7.86 in. (20 cm)
WEIGHT	3.2 oz. (91 g)
BOX	087171071879
CLAM	-

OPENING	Manual KVT ball-bearing opening with thumb stud
LOCK	DuraLock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Carbide glassbreaker tip, black-anodized alumnium backspacer with lanyard hole

NEW

BEL AIR EMT - ORANGE

6110EMTOR

a KERSHAW ORIGINALS design

STEEL	CPM MagnaCut, stonewashed finish
HANDLE	G10
BLADE	3.25 in. (8.3 cm)
CLOSED	4.61 in. (11.7 cm)
OVERALL	7.86 in. (20 cm)
WEIGHT	3.2 oz. (91 g)
BOX	087171073002
CLAM	-

OPENING	Manual KVT ball-bearing opening with thumb stud
LOCK	DuraLock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Carbide glassbreaker tip, FDE-anodized alumnium backspacer with lanyard hole

SELECT FIRE

1920

a GRANT & GAVIN HAWK design

STEEL	8Cr13MoV, bead-blasted finish
HANDLE	Glass-filled nylon
BLADE	3.4 in. (8.6 cm)
CLOSED	4.25 in. (10.8 cm)
OVERALL	7.6 in. (19.4 cm)
WEIGHT	5 oz. (142 g)
BOX	087171030319
CLAM	087171030333

OPENING	Manual on washers opening with thumb stud
LOCK	Liner lock
POCKETCLIP	Reversible (right/left, tip-down)
FEATURES	.25 in. hex drive, two flat head, two Phillips® bits, ruler

BARRICADE - SERRATED

8650ST

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide coating
HANDLE	Glass-filled nylon
BLADE	3.5 in. (8.9 cm)
CLOSED	5 in. (12.7 cm)
OVERALL	8.5 in. (21.6 cm)
WEIGHT	4.5 oz. (128 g)
BOX	087171069586
CLAM	-

OPENING	Assisted opening with flipper or thumb stud
LOCK	Liner lock
POCKETCLIP	Single-position deep-carry (right, tip-down)
FEATURES	Carbide glassbreaker tip, built-in cord/seatbelt cutter

BARRICADE

8650

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide coating
HANDLE	Glass-filled nylon
BLADE	3.5 in. (8.9 cm)
CLOSED	5 in. (12.7 cm)
OVERALL	8.5 in. (21.6 cm)
WEIGHT	4.5 oz. (128 g)
BOX	087171048529
CLAM	087171050362

OPENING	Assisted opening with flipper or thumb stud
LOCK	Liner lock
POCKETCLIP	Single-position deep-carry (right, tip-down)
FEATURES	Carbide glassbreaker tip, built-in cord/seatbelt cutter

CRAZE
8337
a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide BlackWash™ finish
HANDLE	Glass-filled nylon
BLADE	2.35 in. (6 cm)
CLOSED	3.55 in. (9 cm)
OVERALL	5.9 in. (15 cm)
WEIGHT	2.6 oz. (74 g)
BOX	087171066769
CLAM	087171067063

OPENING	Manual KVT ball-bearing opening with thumb stud
LOCK	DuraLock
POCKETCLIP	Reversible extra-deep-carry (right/left, tip-up)
FEATURES	Bottle opener, lanyard hole

FUNXION EMT
8100
a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide coating
HANDLE	Glass-filled nylon, K-Texture™ insert
BLADE	3 in. (7.6 cm)
CLOSED	4.25 in. (10.7 cm)
OVERALL	7.25 in. (18.4 cm)
WEIGHT	4.8 oz. (137 g)
BOX	087171033853
CLAM	-

OPENING	Assisted opening with flipper or thumb stud
LOCK	Liner lock
POCKETCLIP	Single-position deep-carry (right, tip-down)
FEATURES	Carabiner clip, cord cutter, flat head screwdriver, hex wrench, glassbreaker tip

SHUFFLE II - OLIVE
8750TOLBW
a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide BlackWash™ finish
HANDLE	Glass-filled nylon
BLADE	2.6 in. (6.6 cm)
CLOSED	4 in. (10.2 cm)
OVERALL	6.3 in. (16 cm)
WEIGHT	3 oz. (86 g)
BOX	087171048345
CLAM	087171046204

OPENING	Manual on washers opening with thumb stud
LOCK	Inset liner lock
POCKETCLIP	Reversible (right/left, tip-down)
FEATURES	Bottle opener, flat head screwdriver, lanyard hole

SHUFFLE II - BLACK
8750TBLKBW
a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide BlackWash™ finish
HANDLE	Glass-filled nylon
BLADE	2.6 in. (6.6 cm)
CLOSED	4 in. (10.2 cm)
OVERALL	6.3 in. (16 cm)
WEIGHT	3 oz. (86 g)
BOX	087171039367
CLAM	087171039374

OPENING	Manual on washers opening with thumb stud
LOCK	Inset liner lock
POCKETCLIP	Reversible (right/left, tip-down)
FEATURES	Bottle opener, flat head screwdriver, lanyard hole

SHUFFLE II - TAN
8750TTANBW
a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide BlackWash™ finish
HANDLE	Glass-filled nylon
BLADE	2.6 in. (6.6 cm)
CLOSED	4 in. (10.2 cm)
OVERALL	6.3 in. (16 cm)
WEIGHT	3 oz. (86 g)
BOX	087171039343
CLAM	087171039350

OPENING	Manual on washers opening with thumb stud
LOCK	Inset liner lock
POCKETCLIP	Reversible (right/left, tip-down)
FEATURES	Bottle opener, flat head screwdriver, lanyard hole

kershaw

SHUFFLE - TEAL

8700TEALBW

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide BlackWash™ finish
HANDLE	Glass-filled nylon, K-Texture™ grip
BLADE	2.4 in. (6.1 cm)
CLOSED	3.25 in. (8.3 cm)
OVERALL	5.75 in. (14.6 cm)
WEIGHT	2.8 oz. (79 g)
BOX	087171038728
CLAM	087171038735

OPENING	Manual on washers opening with thumb stud
LOCK	Inset liner lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Bottle opener, flat head screwdriver, lanyard hole

SHUFFLE - PURPLE

8700PURBW

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide BlackWash™ finish
HANDLE	Glass-filled nylon, K-Texture™ grip
BLADE	2.4 in. (6.1 cm)
CLOSED	3.25 in. (8.3 cm)
OVERALL	5.75 in. (14.6 cm)
WEIGHT	2.8 oz. (79 g)
BOX	087171039107
CLAM	087171039114

OPENING	Manual on washers opening with thumb stud
LOCK	Inset liner lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Bottle opener, flat head screwdriver, lanyard hole

SHUFFLE - LIME

8700LIMEBW

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide BlackWash™ finish
HANDLE	Glass-filled nylon, K-Texture™ grip
BLADE	2.4 in. (6.1 cm)
CLOSED	3.25 in. (8.3 cm)
OVERALL	5.75 in. (14.6 cm)
WEIGHT	2.8 oz. (79 g)
BOX	087171038681
CLAM	087171038698

OPENING	Manual on washers opening with thumb stud
LOCK	Inset liner lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Bottle opener, flat head screwdriver, lanyard hole

SHUFFLE

8700

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, bead-blasted finish
HANDLE	Glass-filled nylon, K-Texture™ grip
BLADE	2.4 in. (6.1 cm)
CLOSED	3.25 in. (8.3 cm)
OVERALL	5.75 in. (14.6 cm)
WEIGHT	2.8 oz. (79 g)
BOX	087171035468
CLAM	087171035475

OPENING	Manual on washers opening with thumb stud
LOCK	Inset liner lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Bottle opener, flat head screwdriver, lanyard hole

SHUFFLE - BLACK
8700BLK
a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide coating
HANDLE	Glass-filled nylon, K-Texture™ grip
BLADE	2.4 in. (6.1 cm)
CLOSED	3.25 in. (8.3 cm)
OVERALL	5.75 in. (14.6 cm)
WEIGHT	2.8 oz. (79 g)
BOX	087171037134
CLAM	087171037127

OPENING	Manual on washers opening with thumb stud
LOCK	Inset liner lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Bottle opener, flat head screwdriver, lanyard hole

SHUFFLE DIY
8720
a KERSHAW ORIGINALS design



STEEL	8Cr13MoV, black-oxide coating
HANDLE	Glass-filled nylon
BLADE	2.4 in. (6.1 cm)
CLOSED	3.25 in. (8.3 cm)
OVERALL	5.75 in. (14.6 cm)
WEIGHT	3.5 oz. (100 g)
BOX	087171048932
CLAM	087171048949

OPENING	Manual on washers opening with thumb stud
LOCK	Inset liner lock
POCKETCLIP	Single-position (right, tip-down)
FEATURES	Bottle opener, bit driver with flat head and Phillips screwdriver bits, keychain ring hole

ANTIC
8710
a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, bead-blasted finish
HANDLE	Stainless steel, blue PVD coating
BLADE	1.7 in. (4.4 cm)
CLOSED	3.8 in. (9.7 cm)
OVERALL	5.5 in. (14 cm)
WEIGHT	3.1 oz. (88 g)
BOX	087171054063
CLAM	087171055671

OPENING	Manual on washers opening with thumb stud
LOCK	Frame lock
POCKETCLIP	Single-position (right, tip-down)
FEATURES	Bottle opener, screwdriver/pry tip, oversized lanyard attachment/key ring

DIODE
1230
a KERSHAW ORIGINALS design

STEEL	3Cr13, bead-blasted finish
HANDLE	Glass-filled nylon
BLADE	1.6 in. (4.1 cm)
CLOSED	2.9 in. (7.5 cm)
OVERALL	4.5 in. (11.5 cm)
WEIGHT	1.1 oz. (33 g)
BOX	-
CLAM	087171058627

OPENING	Manual on washers opening with nail nick
LOCK	Liner lock
POCKETCLIP	-
FEATURES	Flat head screwdriver/pry bar, lanyard/keychain hole

CINDER
1025
a RICK HINDERER design

STEEL	3Cr13, stonewashed finish
HANDLE	Glass-filled nylon
BLADE	1.4 in. (3.6 cm)
CLOSED	2.6 in. (6.6 cm)
OVERALL	4 in. (10.2 cm)
WEIGHT	0.9 oz. (26 g)
BOX	-
CLAM	087171044514

OPENING	Manual opening with thumb stud
LOCK	Liner lock
FEATURES	Bottle opener, lanyard hole

FIXED BLADE SECTION

OVERVIEW

- 11 TOTAL • 1 NEW
- 1 MADE IN USA
- 11 ORIGINAL DESIGNS
- 6 PREMIUM BLADE STEEL

Fixed blades are among your most reliable tools during an adventure, providing users with full-tang construction and an ultra-strong blade. Kershaw offers fixed blades in everything from camping tools to everyday carry and more.

NEW

MINI IRIDIUM - FIXED BLADE

1051 a KERSHAW ORIGINALS design

STEEL	D2, working finish
HANDLE	Black linen micarta
BLADE	3.1 in. (7.9 cm)
OVERALL	7.1 in. (18 cm)
WEIGHT	2.4 oz. (68 g) 4.1 oz. (116 g) with sheath
BOX	087171072371
CLAM	-

OPENING	Full-tang construction
FEATURES	Polypropylene sheath with steel reversible pocketclip, retention hook, and tie holes

ATREIDES

1088

a KERSHAW ORIGINALS design

STEEL	65Mn, powdercoat
HANDLE	Polypropylene scales with rubber overmolds
BLADE	5.7 in. (14.5 cm)
OVERALL	11.4 in. (29 cm)
WEIGHT	8.1 oz. (230 g) 10.7 oz. (303 g) with sheath
BOX	087171069340
CLAM	-

OPENING	Full-tang construction
FEATURES	Polyproylene sheath with molded retention, reversible belt loop/strap, and tie holes

DESCHUTES SKINNER - GUT HOOK

1883GH a KERSHAW ORIGINALS design

STEEL	D2, stonewashed finish
HANDLE	Polypropylene, rubber overlay
BLADE	3.9 in. (9.9 cm)
OVERALL	8.65 in. (22 cm)
WEIGHT	3.2 oz. (91 g) 4.8 oz. (136 g) with sheath
BOX	087171065779
CLAM	-

OPENING	Full-tang construction
FEATURES	Glass-filled nylon sheath with webbing slots, drainage hole, and removable belt strap, lanyard hole

DESCHUTES SKINNER

1883

a KERSHAW ORIGINALS design

STEEL	D2, stonewashed finish
HANDLE	Polypropylene, rubber overlay
BLADE	3.9 in. (9.9 cm)
OVERALL	8.65 in. (22 cm)
WEIGHT	3.3 oz. (94 g) 4.9 oz. (139 g) with sheath
BOX	087171063423
CLAM	-

OPENING	Full-tang construction
FEATURES	Glass-filled nylon sheath with webbing slots, drainage hole, and removable belt strap, lanyard hole

DESCHUTES CAPER

1882

a KERSHAW ORIGINALS design

STEEL	D2, stonewashed finish
HANDLE	Polypropylene, rubber overlay
BLADE	3.3 in. (8.4 cm)
OVERALL	7 in. (17.8 cm)
WEIGHT	1.7 oz. (48 g) 3 oz. (85 g) with sheath
BOX	087171063416
CLAM	-

OPENING	Full-tang construction
FEATURES	Glass-filled nylon sheath with webbing slots, drainage hole, and removable belt strap

PACK MULE

1089

a KERSHAW ORIGINALS design

STEEL	N690, working finish
HANDLE	G10 scales
BLADE	3.9 in. (9.9 cm)
OVERALL	8.4 in. (21.3 cm)
WEIGHT	4.7 oz. (133 g) 7.2 oz. (204 g) with sheath
BOX	087171070223
CLAM	-

OPENING	Full-tang construction
FEATURES	USA-made Kydex sheath with retention strap and drainage hole

STEPPE
2048
a KERSHAW ORIGINALS design

STEEL D2, stonewashed finish
HANDLE Polypropylene with thermoplastic rubber overmold; skeletonized steel
BLADE 3.55 in. (9 cm)
OVERALL 7.6 in. (19.3 cm)
WEIGHT 2.5 oz. (71 g)
3.7 oz. (105 g) with sheath
BOX 087171066165
CLAM -

OPENING Full-tang construction
FEATURES Polypropylene sheath with belt clip, webbing slots, and drainage hole

BRACE
2085
a KERSHAW ORIGINALS design

STEEL 8Cr13MoV, stonewashed finish
HANDLE 8Cr13MoV with glass-filled nylon overlay, stonewashed finish
BLADE 2 in. (5.1 cm)
OVERALL 4.9 in. (12.4 cm)
WEIGHT 0.9 oz. (26 g)
1.6 oz. (45 g) with sheath
BOX 087171060859
CLAM 087171062471

OPENING Full-tang construction
FEATURES Polypropylene neck sheath with adjustable cord, webbing slots, and tie holes, lanyard hole

ION - 3-KNIFE SET
1747BW
a KERSHAW ORIGINALS design



STEEL 3Cr13, black-oxide BlackWash™ finish
HANDLE Full-tang, paracord wrapped
BLADE 4.5 in. (11.4 cm)
OVERALL 9 in. (22.9 cm)
WEIGHT Single - 3.9 oz. (113 g)
Set - 14.4 oz. (409 g)
BOX -
CLAM 087171039084

OPENING Full-tang construction
FEATURES Spear point, lanyard hole, three-knife set, includes sheath

DUNE
4008
a KERSHAW ORIGINALS design



STEEL 3Cr13, black-oxide coating
HANDLE Glass-filled nylon
BLADE 3.8 in. (9.7 cm)
OVERALL 7.7 in. (19.6 cm)
WEIGHT 2.2 oz. (65 g)
2.7 oz. (79 g) with sheath
BOX -
CLAM 087171039459

OPENING Full-tang construction
FEATURES Tanto point, lanyard hole, injection-molded neck sheath with adjustable cord

SECRET AGENT
4007
a KERSHAW ORIGINALS design

STEEL 8Cr13MoV, black-oxide coating
HANDLE Rubberized co-molded
BLADE 4.4 in. (11.2 cm)
OVERALL 8.7 in. (22.1 cm)
WEIGHT 3.1 oz. (90 g)
4.7 oz. (136 g) with sheath
BOX 087171036977
CLAM 087171037165

OPENING Full-tang construction
FEATURES Single-edged spear point, lanyard hole, molded dual-carry sheath

OUTDOOR SECTION

OVERVIEW

5 TOTAL PRODUCTS
5 ORIGINAL DESIGNS

We love it out there. If you do, too, you know how handy a knife is for everything from cutting rope to building a campfire. Kershaw has a range of outdoor cutting and chopping tools to make your outdoor life better.

TASKMASTER SAW 2

2556

a KERSHAW ORIGINALS design



STEEL	High-carbon steel, nickel-plated
HANDLE	Glass-filled nylon with rubber grip
BLADE	7 in. (17.8 cm)
CLOSED	9.125 in. (23.2 cm)
OVERALL	15.9 in. (40.4 cm)
WEIGHT	8.7 oz. (247 g)
BOX	087171058993
CLAM	-

OPENING	Manual opening
LOCK	Push-button lock
FEATURES	Textured rubber grip
	Lanyard hole

CAMP 10

1077

a KERSHAW ORIGINALS design

STEEL	65Mn, powdercoat
HANDLE	Rubber overmold
BLADE	10 in. (25.4 cm)
OVERALL	16 in. (40.6 cm)
WEIGHT	1 lb. 2.3 oz. (521 g) 1 lb. 8 oz. (681 g) with sheath
BOX	087171033594
CLAM	087171034065

FEATURES	Full-tang construction
	Textured, rubberized grip
	Includes glass-filled nylon sheath with gear straps and belt loop
	Dual lanyard holes

CAMP 10 - TAN

1077TAN

a KERSHAW ORIGINALS design

STEEL	65Mn, powdercoat
HANDLE	Rubber overmold
BLADE	10 in. (25.4 cm)
OVERALL	16 in. (40.6 cm)
WEIGHT	1 lb. 2.3 oz. (521 g) 1 lb. 8 oz. (681 g) with sheath
BOX	087171052748
CLAM	-

FEATURES	Full-tang construction
	Textured, rubberized grip
	Includes glass-filled nylon sheath with gear straps and belt loop
	Dual lanyard holes

LONEROCK RBK 2

1891

a KERSHAW ORIGINALS design

STEEL	Surgical stainless steel, blade type #60A
HANDLE	Glass-filled nylon with rubber overmold
BLADE	2.8 in. (7.3 cm)
CLOSED	4.25 in. (10.8 cm)
OVERALL	7 in. (17.8 cm)
WEIGHT	2 oz. (57 g)
BOX	087171060897
CLAM	-

OPENING	Manual opening with thumb stud
LOCK	Liner lock
FEATURES	Exchangeable blades
	Lanyard hole
	Includes sheath, "buddy" handle, & 15 extra blades

LONEROCK RBK REPLACEMENT BLADES

1890RB a KERSHAW ORIGINALS design

STEEL	Surgical stainless steel, blade type #60A
BLADE	2.8 in. (7.3 cm)
WEIGHT	1.2 oz. (36 g)
BOX	087171040721
CLAM	-

FEATURES	Pack of 14 replacement blades for LoneRock RBK hunting and caping knife.

FISHING SECTION

OVERVIEW

8 TOTAL PRODUCTS
8 ORIGINAL DESIGNS

What size is your catch? From a pan-sized bluegill to a monster Chinook, Kershaw has the right fillet knife to turn your catch into the fish dinner of your dreams.

7-IN. FILLET

1257
a KERSHAW ORIGINALS design

STEEL	420J2, satin finish
HANDLE	Co-polymer
BLADE	7 in. (17.8 cm)
OVERALL	12.25 in. (31.1 cm)
WEIGHT	3.3 oz. (96 g) 4.7 oz. (135 g) with sheath
BOX	087171066516
CLAM	087171125701

FEATURES	Neon accents for improved visibility Includes molded sheath with belt loop

9-IN. FILLET

1259
a KERSHAW ORIGINALS design

STEEL	420J2, satin finish
HANDLE	Co-polymer
BLADE	9 in. (22.9 cm)
OVERALL	14.25 in. (36.2 cm)
WEIGHT	3.6 oz. (104 g) 5.2 oz. (147 g) with sheath
BOX	-
CLAM	087171125909

FEATURES	Neon accents for improved visibility Includes molded sheath with belt loop

7-IN. BONING WITH SPOON

1243SH
a KERSHAW ORIGINALS design



STEEL	420J2, satin finish
HANDLE	Glass-filled nylon, rubber overmold K-Texture™ grip
BLADE	7 in. (17.8 cm)
OVERALL	14.5 in. (36.8 cm)
WEIGHT	3.6 oz. (104 g) 4.3 oz. (123 g) with blade protector
BOX	-
CLAM	087171037042

FEATURES	Handle ensures grip in marine conditions Flexible blade Includes blade protector

7.5-IN. FILLET

1247
a KERSHAW ORIGINALS design

STEEL	420J2, satin finish
HANDLE	Glass-filled nylon, rubber overmold, K-Texture™ grip
BLADE	7.5 in. (19.1 cm)
OVERALL	12.7 in. (32.3 cm)
WEIGHT	2.9 oz. (84 g) 3.7 oz. (105 g) with blade protector
BOX	-
CLAM	087171037059

FEATURES	Handle ensures grip in marine conditions Flexible blade Includes blade protector

9.5-IN. FILLET

1249

a KERSHAW ORIGINALS design



STEEL	420J2, satin finish
HANDLE	Glass-filled nylon, rubber overmold, K-Texture™ grip
BLADE	9.5 in. (24.1 cm)
OVERALL	14.8 in. (37.6 cm)
WEIGHT	3.3 oz. (94 g) 4.1 oz. (116 g) with blade protector
BOX	087171037066
CLAM	-

FEATURES	Handle ensures grip in marine conditions
	Flexible blade
	Includes blade protector

12-IN. CURVED

1241

a KERSHAW ORIGINALS design

STEEL	420J2, satin finish
HANDLE	Glass-filled nylon, rubber overmold, K-Texture™ grip
BLADE	12 in. (30.5 cm)
OVERALL	17.7 in. (45 cm)
WEIGHT	8.6 oz. (244 g) 10.6 oz. (301 g) with blade protector
BOX	-
CLAM	087171037028

FEATURES	Handle ensures grip in marine conditions
	Flexible blade
	Includes blade protector

9-IN. CURVED

1242GE

a KERSHAW ORIGINALS design

STEEL	420J2, satin finish
HANDLE	Glass-filled nylon, rubber overmold, K-Texture™ grip
BLADE	9 in. (22.9 cm)
OVERALL	14.7 in. (37.3 cm)
WEIGHT	5.2 oz. (149 g) 6.4 oz. (182 g) with blade protector
BOX	-
CLAM	087171037035

FEATURES	Handle ensures grip in marine conditions
	Flexible blade
	Includes blade protector

FOLDING FILLET

1258

a KERSHAW ORIGINALS design





STEEL	420J2, satin finish
HANDLE	Glass-filled nylon, rubber overmold, K-Texture™ grip
BLADE	6.25 in. (15.9 cm)
CLOSED	7.5 in. (19.1 cm)
OVERALL	13.75 in. (34.9 cm)
WEIGHT	4.9 oz. (138.9 g)
BOX	087171068398
CLAM	087171037073

OPENING	Manual opening
LOCK	Mid-lock
FEATURES	Handle ensures grip in marine conditions
	Flexible blade
	Lanyard hole

KITCHEN SERIES

OVERVIEW

7 TOTAL PRODUCTS

Level up your cooking game with the Kershaw Kitchen Series. When prepping food, choose the right blade shape for the job. All of them are razor sharp, stylish, and comfortable in-hand. Some come serrated, others plain edge, and each is a helpful companion in the kitchen.

6-PIECE KITCHEN SET K6BLOCK

STEEL DIN 1.4116, satin finish
HANDLE Polypropylene

KITCHEN SET INCLUDES: 8-inch Chef's Knife, 8-inch Bread Knife, 6.5-inch Santoku, 6-inch Utility Knife, 3.5-inch Paring Knife, 6-Slot Wood Block

BOX 087171066615

KITCHEN SET KNIVES ALSO SOLD INDIVIDUALLY

CHEF'S KNIFE 1780

CLAM 087171066172

SHEATH INCLUDED

BLADE 8 in. (20.3 cm)
OVERALL 12.75 in. (32.4 cm)
WEIGHT 3.6 oz. (102 g)

BREAD KNIFE 1781

CLAM 087171066189

SHEATH INCLUDED

BLADE 8 in. (20.3 cm)
OVERALL 12.75 in. (32.4 cm)
WEIGHT 2.5 oz. (71 g)

SANTOKU KNIFE 1782

CLAM 087171066196

SHEATH INCLUDED

BLADE 6.5 in. (16.5 cm)
OVERALL 11.15 in. (28.3 cm)
WEIGHT 2.9 oz. (82 g)

UTILITY KNIFE 1783

CLAM 087171066202

SHEATH INCLUDED

BLADE 6 in. (15.3 cm)
OVERALL 10.6 in. (26.9 cm)
WEIGHT 2.3 oz. (65 g)

PARING KNIFE 1784

CLAM 087171066219

SHEATH INCLUDED

BLADE 3.5 in. (8.9 cm)
OVERALL 8.1 in. (20.6 cm)
WEIGHT 1.3 oz. (37 g)

4-PIECE STEAK KNIFE SET 1785

CLAM 087171066608

STEEL DIN 1.4116, satin finish
HANDLE Polypropylene

BLADE 5 in. (12.7 cm)
OVERALL 9.5 in. (24.1 cm)
WEIGHT 1.4 oz. (40 g)

T-SHIRT - BACKCOUNTRY LIFE
SHIRTKERELK

- 65/35 polyester/cotton blend, with moisture-wicking properties
- Classic fit with tear away label

S	SHIRTKERELKS 087171065052	**XL**	SHIRTKERELKXL 087171064932
M	SHIRTKERELKM 087171064918	**XXL**	SHIRTKERELKXXL 087171064949
L	SHIRTKERELKL 087171064925		

T-SHIRT - MOUNTAIN SUNSET
SHIRTKERHILLS

- 65/35 polyester/cotton blend, with moisture-wicking properties
- Classic fit with tear away label

S	SHIRTKERHILLSS 087171065007	**XL**	SHIRTKERHILLSXL 087171065038
M	SHIRTKERHILLSM 087171065014	**XXL**	SHIRTKERHILLSXXL 087171065045
L	SHIRTKERHILLSL 087171065021		

T-SHIRT - BASS
SHIRTKERBASS

- 65/35 polyester/cotton blend, with moisture-wicking properties
- Classic fit with tear away label

S	SHIRTKERBASSS 087171069739	**XL**	SHIRTKERBASSXL 087171069760
M	SHIRTKERBASSM 087171069746	**XXL**	SHIRTKERBASSXXL 087171069777
L	SHIRTKERBASSL 087171069753		

T-SHIRT - BUCK
SHIRTKERBUCK

- 100% pre-shrunk, ring-spun cotton
- Classic fit with tear away label

S	SHIRTKERBUCKS 087171069784	**XL**	SHIRTKERBUCKXL 087171069814
M	SHIRTKERBUCKM 087171069791	**XXL**	SHIRTKERBUCKXXL 087171069821
L	SHIRTKERBUCKL 087171069807		

HAT - KERSHAW KNIVES BLACK
CAPKER24

- 6-panel structured cap; lightweight 60/40 cotton and polyester
- Black cap with "K" logo and "Kershaw" on the back
- M/L hat will fit head circumference up to 22.75 in.; stretch to fit with spandex band

UPC 087171069258



KERSHAW COUNTER MAT
MATKER26

Foam-backed with water resistant acrylic front
WIDTH 15 in. (38.1 cm)
HEIGHT 10 in. (25.4 cm)
WEIGHT 5.3 oz. (150 g)
UPC 087171074375

KERSHAW NEXT LEVEL DECAL
DECALKERNL26

White vinyl, permanent adhesive on back
WIDTH 4 in. (10.2 cm)
HEIGHT 2.69 in. (6.8 cm)
UPC 087171074467

MOUNTAIN PVC PATCH
KERPATCHM26P

Durable PVC construction with hook-and-loop backing.
WIDTH 3.5 in. (8.9 cm)
HEIGHT 2.15 in. (5.5 cm)
WEIGHT 0.5 oz. (14 g)
UPC 087171074931

NEXT LEVEL PVC PATCH
KERPATCHUS26P

Durable PVC construction with hook-and-loop backing.
WIDTH 3.5 in. (8.9 cm)
HEIGHT 2.15 in. (5.5 cm)
WEIGHT 0.5 oz. (14 g)
UPC 087171074948

NEXT LEVEL EAGLE WOVEN PATCH
KERPATCHNL

Woven construction with hook-and-loop backing
WIDTH 3.5 in. (8.9 cm)
HEIGHT 2.15 in. (5.5 cm)
WEIGHT 0.1 oz. (3 g)
UPC 087171074979

NEXT LEVEL FISHING WOVEN PATCH
KERPATCHTROUT

Woven construction with hook-and-loop backing
WIDTH 3.5 in. (8.9 cm)
HEIGHT 2.15 in. (5.5 cm)
WEIGHT 0.1 oz. (3 g)
UPC 087171074962

USA FLAG WOVEN PATCH
KERPATCHUS26S

Woven construction with hook-and-loop backing
WIDTH 3.5 in. (8.9 cm)
HEIGHT 2.15 in. (5.5 cm)
WEIGHT 0.1 oz. (3 g)
UPC 087171074955

NEXT LEVEL 1974 WOVEN PATCH
KERPATCHM26W

Woven construction with hook-and-loop backing
WIDTH 3.5 in. (8.9 cm)
HEIGHT 2.15 in. (5.5 cm)
WEIGHT 0.1 oz. (3 g)
UPC 087171074986

KERSHAW CHALLENGE COIN
CHALLENGECOINKER

Zinc alloy with antique nickel plating
DIAMETER 1.75 in. (4.4 cm)
WEIGHT 0.9 oz. (25 g)
UPC 087171059341

TRIPLE-KNIFE HORIZONTAL STAND
DISPLAYKER25B

Durable acrylic display stand, holds 3 open or closed knives.

LENGTH	5.75 in. (14.6 cm)
WIDTH	5.93 in. (15.1 cm)
HEIGHT	3.5 in. (8.9cm)
WEIGHT	4.3 oz. (122 g)
UPC	087171072920

TRIPLE-KNIFE VERTICAL STAND
DISPLAYKER25B

Durable acrylic display stand, holds 3 open knives.

LENGTH	6.2 in. (15.7 cm)
WIDTH	4.2 in. (10.7 cm)
HEIGHT	5.48 in. (13.9 cm)
WEIGHT	4.1 oz. (116 g)
UPC	087171072937

SINGLE-KNIFE BLADE STAND
DISPLAYKERB14

Durable acrylic display stand, holds 1 blade.

LENGTH	1.18 in. (2.9 cm)
WIDTH	1.2 in. (3 cm)
HEIGHT	1.24 in. (3.1 cm)
WEIGHT	0.2 oz. (6 g)
UPC	087171046808

SINGLE-KNIFE STAND
DISPLAYKER114

Durable acrylic display stand, holds 1 open knife.

LENGTH	4.7 in. (12 cm)
WIDTH	3.2 in. (8.1 cm)
HEIGHT	2.6 in. (6.6 cm)
WEIGHT	2 oz. (57 g)
UPC	087171046785

TRIPLE-KNIFE STAND
DISPLAYKER314

Durable acrylic display stand, holds 3 open knives.

LENGTH	5.7 in. (14.5 cm)
WIDTH	4.65 in. (11.8 cm)
HEIGHT	2.6 in. (6.6 cm)
WEIGHT	3 oz. (85 g)
UPC	087171046792

KNIFE STORAGE BAG
Z997

Accommodates up to 18 folding knives, with eight-pocket removable center section, and zipper closure. Features nylon siding & straps.

WIDTH	13 in. (33 cm)
HEIGHT	7.5 in. (19 cm)
WEIGHT	12 oz. (340 g)
UPC	087171045634

KERSHAW SINGLE-KNIFE POUCH
POUCHKER

Cordura exterior, zipper closure, soft interior

WIDTH	5.85 in. (14.9 cm)
HEIGHT	2.4 in. (6.1 cm)
WEIGHT	0.5 oz. (17 g)
UPC	087171059334

KEYCHAIN LANYARD
KERKEYLANYARD

Polyester + zinc alloy, Kershaw logo on both sides

LENGTH	7 in. 17.8cm)
WIDTH	1.25 in. (3.2cm)
STRAP WIDTH	1 in. 2.5 cm)
WEIGHT	1 oz. (28 g)
UPC	087171064673

KERSHAW KNIFE OIL
KEROIL

0.68 fl oz. (20 mL) • Allows for smoother operation • Works to prevent corrosion • SMT (Sub-Micron Technology) absorbs into pores of metals for an even conditioning • Non-migrating, non-toxic formula

UPC	087171054087

FIRE STARTER
1019
a KERSHAW ORIGINALS design

STEEL	Magnesium firesteel
HANDLE	Molded plastic
OVERALL	3.1 in. (7.9 cm)
WEIGHT	1.1 oz. (31 g)
CLAM	087171101910

PT-1
8800
a KERSHAW ORIGINALS design

STEEL	3Cr13, bead-blasted finish
HANDLE	Glass-filled nylon, K-Texture™
OVERALL	2.75 in. (7 cm)
WEIGHT	0.8 oz. (24 g)
CLAM	087171048659

• Bottle opener • Pry bar
• Flat head screwdriver
• Lanyard hole

PT-2
8810
a KERSHAW ORIGINALS design

STEEL	3Cr13, bead-blasted finish
HANDLE	Glass-filled nylon, K-Texture™
OVERALL	3.25 in. (8.2 cm)
WEIGHT	0.8 oz. (24 g)
CLAM	087171048536

• Bottle/can opener • Flat head & Phillips screwdrivers • Three sizes of hex drives • Wire scraper • Pry bar • Lanyard hole

K-TOOL
KTOOL
a KERSHAW ORIGINALS design

STEEL	3Cr13, black-oxide BlackWash™ finish
OVERALL	2 in. (5.1 cm)
WEIGHT	0.7 oz. (22 g)
CLAM	087171039657

• Bottle opener • Lanyard hole
• Flat head screwdriver
• Box cutter

RECAP
8830
a KERSHAW ORIGINALS design

STEEL	3Cr13, stonewashed finish
OVERALL	2.37 in. (6 cm)
WEIGHT	0.3 oz. (9 g)
CLAM	087171063638

• Bottle opener • Pry bar
• Flat head screwdriver
• Key ring/lanyard hole

RATION XL
1145
a KERSHAW ORIGINALS design

STEEL	3Cr13, bead-blasted finish
OVERALL	7.3 in. (18.6 cm)
WEIGHT	2.1 oz. (60 g)
CLAM	087171052465 087171052458 • GRN

• Fork • Spoon • Bottle opener
• Carabiner gate • Food-safe coating

RATION
1140
a KERSHAW ORIGINALS design

STEEL	3Cr13, bead-blasted finish
OVERALL	4.6 in. (11.7 cm)
WEIGHT	1.3 oz. (36 g)
CLAM	087171046389

• Fork • Spoon • Bottle opener
• Carabiner gate • Food-safe coating

MANICURE SET
KMCURE
a KERSHAW ORIGINALS design

STEEL	Stainless steel, satin finish
OVERALL	4.25 in. (10.8 cm)
WEIGHT	3.9 oz. (113 g)
BOX	087171056609

• Nail clippers • Cuticle scissors • Nail file • Tweezers • Carrying case

ULTRA-TEK SHARPENER
2535
a KERSHAW ORIGINALS design

STEEL	600-grit, diamond-coated oval shaft
HANDLE	6061-T6 anodized aluminum
SHAFT	4 in. (10.2 cm)
OVERALL	9 in. (22.9 cm)
WEIGHT	1.7 oz. (51 g)
CLAM	087171253503

TX-TOOL
TXTOOL
a KERSHAW ORIGINALS design

HANDLE	Aluminum
OVERALL	4.8 in. (12.2 cm)
WEIGHT	1.1 oz. (32 g)
BOX	087171044989

For most Kershaw pivots, pocketclip, and handle screws • Torx bits T6, T8, T10, #2 Phillips and flat head screwdriver bits

TASKMASTER SHEARS 2
1121
a KERSHAW ORIGINALS design

STEEL	420J2, satin finish
HANDLE	Glass-filled nylon
BLADE	3.5 in. (8.9 cm)
OVERALL	8.9 in. (22.5 cm)
WEIGHT	5.1 oz. (145 g)
BOX	087171057514
CLAM	087171059549

• Nutcracker • Cap lifter
• Flat head screwdriver tips
• Blades separate for easy cleaning

SKEETER III
1216
a KERSHAW ORIGINALS design

STEEL	3Cr13, satin finish
HANDLE	Polypropylene
BLADE	1.25 in. (3.2 cm)
OVERALL	4.25 in. (10.8 cm)
WEIGHT	0.7 oz. (22 g)
CLAM	087171056630

kershaw
kershaw
kershaw

BLADE STYLES

AMERICAN TANTO
Angles upward to meet the spine. The angled edge can be straight or curved. The American tanto offers a strong, durable tip while the straight edge makes it ideal for push cuts.

CLEAVER
The cleaver blade shape is a high-utility style, defined by its slightly curved belly and a distinctive downturned tip. This versatile shape makes an excellent EDC or utility knife, perfectly suited for precise slicing and efficient chopping tasks.

CLIP POINT
The tip of the clip point is lower than its spine. The top part of the blade has been "clipped" off so that the blade goes straight from spine to tip. The clip point can also have a concave curve to the tip. Clip points are great for everyday carrying but are also favored for hunting knives.

DROP POINT
The blade's point drops down below the blade's spine. Usually has good "belly," a curved cutting edge. It is one of today's most widespread blade shapes because it's a great all-purpose blade.

HAWKBILL
A hawkbill blade is hook-like with a concave belly. It offers ease in cutting ropes, fabrics, and even trimming shrubbery.

RECURVE
Instead of having a fully convex belly, a recurve blade will also have a gentle concave curve along part of the cutting edge. This gives the edge something of an "S" shape. The recurve blade provides good belly for slicing and a concave curve for easy draw or pull cuts.

REVERSE TANTO
Instead of the edge angling up to meet the spine, a reverse tanto's tip angles down to meet the edge. Like the American tanto, the reverse tanto offers a strong tip for piercing and, generally, a straight edge, ideal for good slicing.

SHEEPSFOOT
A sheepsfoot blade is similar to the Wharncliffe, but it has a steeper slope from spine to edge and a less-pointy tip. They are often favored by emergency responders due to the relative safety of the rounded tip. The straight edge works well for slicing push cuts and general-purpose cutting.

SPEAR POINT
In a spear-point blade, the top and bottom of the blade are symmetrical, and the tip is in line with the center of the blade. It may have one or both edges sharpened. It offers tactical style as well as excellent piercing.

TRAILING POINT
A trailing-point blade has a tip that ends above the spine of the knife. Many trailing point knives also have a deep belly curve for superior slicing, including skinning and hunting use.

WHARNCLIFFE
A Wharncliffe blade has a completely straight cutting edge. The spine of the blade gradually slopes down to meet the edge, forming a tip. The straight edge makes a great blade for slicing push cuts, wood carving, general cutting, and utility work.

BLADE FINISHES & COATINGS

BEAD-BLASTED FINISH
The knife blade is "blasted" or sprayed with a mixture of fine media, including glass and aluminum-oxide beads, under high speed and pressure. This smooths the blade surface and creates a soft, non-reflective, matte look. Depending on the media, this finish can produce a darker or lighter blade color.

BLACK-OXIDE COATING
A chemical bath converts the surface of the steel to magnetite; it enhances appearance and adds some corrosion resistance.

BLACKWASH™ FINISH
Our BlackWash™ finish produces a vintage look like that of a well-used tool or favorite, broken-in pair of jeans. Kershaw uses its black-oxide coating with the BlackWash™ finish.

CERAKOTE COATING
Cerakote enhances corrosion resistance and wear resistance. This fine yet durable coating gives the blade a unique look.

POWDERCOAT
The coating is applied as a fine powder and cured under heat. This creates a smooth, even, and tough coating.

PVD COATING
PVD stands for Physical Vapor Disposition. Specialized materials are vaporized via a vacuum process. Then the vaporized material is deposited as a thin layer on selected objects. In our case, it enables us to finish our blades and/or handles with a thin coating that adds color and offers excellent wear and corrosion resistance.

POLISHED RAINBOW PVD COATING
A type of PVD coating that combines a special mix of raw materials and technical gases to create a rainbow appearance. This thin layer is fade and abrasion resistant.

SATIN FINISH
A Kershaw satin finish will typically show a faint pattern of vertical lines across the blade. It is a shinier finish than bead blasting and somewhat lighter in color.

STONEWASHED FINISH
Blades are tumbled with ceramic "stones," which give the blade surface a desirable roughened or scuffed look. The look can be pronounced or subtle. The finish helps hide use scratches and fingerprints.

TITANIUM CARBO-NITRIDE
Kershaw uses titanium carbo-nitride to produce an attractive black or gray blade coating that increases the blade's hardness, helps maintain the edge, and increases the lifetime of the blade.

TWO-TONE FINISH
Sometimes Kershaw will combine two different blade finishes on a single blade, for example, satin finish on the blade flats and stonewash on the blade grinds.

WORKING FINISH
A Kershaw working finish is designed as a hard-use finish that helps hide scuffs and scratches even better than stonewashed.

KERSHAW BLADE STEEL INFORMATION

CPM 3V

HRC 59-61

TOUGHNESS: 9/10

EDGE RETENTION: 5/10

CORROSION RESISTANCE: 5.5/10

SHARPENING EASE: 6/10

A high carbon tool steel that resists edge chipping with superior toughness. It has a high volume of vanadium carbides for greater wear resistance and hardness.

N690

HRC 58-60

TOUGHNESS: 3.5/10

EDGE RETENTION: 4.5/10

CORROSION RESISTANCE: 8/10

SHARPENING EASE: 6.5/10

Böhler's N690 stainless steel offers high chromium for corrosion resistance, with cobalt and tungsten enhancing edge stability and wear resistance. The result is a balanced steel known for durability, sharpness, and reliability in everyday and outdoor use.

CPM MAGNACUT

HRC 62-64

TOUGHNESS: 8/10

EDGE RETENTION: 7.5/10

CORROSION RESISTANCE: 9/10

SHARPENING EASE: 2/10

This Crucible powdered metallurgy steel eliminates chromium during heat treatment, allowing for vanadium and niobium to form greater carbides near the cutting edge. This formula creates an exceptional balance of edge retention, toughness, and corrosion resistance.

CPM 154

HRC 58-60

TOUGHNESS: 4/10

EDGE RETENTION: 6/10

CORROSION RESISTANCE: 6/10

SHARPENING EASE: 5/10

This powdered metallurgy steel has a more uniform distribution of carbides, so it takes and holds an excellent edge. Also offers good corrosion resistance, wear resistance, and toughness.

CPM M4

HRC 60-62

TOUGHNESS: 7/10

EDGE RETENTION: 9/10

CORROSION RESISTANCE: 2/10

SHARPENING EASE: 3/10

The formula for this premium tool steel includes high amounts of vanadium and molybdenum. This composition creates exceptional edge retention and toughness.

14C28N

HRC 58-60

TOUGHNESS: 6/10

EDGE RETENTION: 4/10

CORROSION RESISTANCE: 6/10

SHARPENING EASE: 6/10

This high-performance steel was developed in a partnership between Kershaw and a Swedish engineering company specializing in stainless and special steel alloys. 14C28N offers excellent corrosion resistance.

CPM S30V

HRC 59.5-61

TOUGHNESS: 5/10

EDGE RETENTION: 7/10

CORROSION RESISTANCE: 7/10

SHARPENING EASE: 5/10

Large carbides in this all-around premium knife steel make it take and hold an edge extremely well; it is also very tough and wear resistant.

D2

HRC 59-60

TOUGHNESS: 6/10

EDGE RETENTION: 8/10

CORROSION RESISTANCE: 2/10

SHARPENING EASE: 3/10

This "semi-stainless" tool steel is known for excellent edge retention, wear resistance, and good toughness.

ELEMENT ▸ STEEL ▾	CARBON (C)	CHROMIUM (Cr)	MOLYBDENUM (Mo)	VANADIUM (V)	TUNGSTEN (W)	COBALT (Co)	NICKEL (Ni)	MANGANESE (Mn)	SILICON (Si)	SULPHUR (S)	PHOSPHORUS (P)	COPPER (Cu)	NIOBIUM (Nb)	NITROGEN (N)
N690	1.08%	17.3%	1.1%	0.1 %	5.5%	1.5%	-	0.4%	0.4%	-	-	-	-	-
CPM 3V	0.8%	7.5%	1.3%	2.75 %	-	-	-	-	-	-	-	-	-	-
CPM M4	1.4%	4 .0%	5.2%	4.0 %	5.5%	-	-	0.3%	0.55%	0.06%	0.03%	-	-	-
CPM MAGNACUT	1.15%	10.7%	2.00%	4.0%	–	–	–	–	–	–	–	–	2.0%	0.2%
CPM S30V	1.45%	14%	2.0%	4.0%	–	–	–	–	–	–	–	–	–	0.2%
CPM 154	1.05%	14%	4.0%	–	–	–	–	–	–	–	–	–	–	–
14C28N	0.62%	14%	0.55%	–	–	–	–	–	0.25	0.015	0.03	–	–	0.08%
8Cr13MoV	0.8%	13%	0.15%	0.1%	–	–	0.2%	0.4%	0.5%	0.01%	0.02%	–	–	–
8Cr14MoV	0.75–0.8%	13.5–14%	0.20–0.25%	0.10–0.15%	–	–	–	0.3–0.6%	0.3–0.6%	0.03%	0.035%	–	–	–
420HC	0.46%	13%	–	0.3%	–	–	–	0.40%	0.4%	-	–	–	–	–
420J	0.4–0.5%	12–14%	0.6%	0.18%	–	–	–	0.8%	1%	0.02%	0.05%	–	–	–
D2	1.4–1.6%	11–13%	0.7–1.2%	1.1%	–	–	0.3%	0.6%	0.6%	–	–	–	–	–
DIN 1.4116	0.45–0.55%	14–15%	0.5–0.8%	0.1–0.2%	–	–	–	1	1	0.015%	0.04%	–	–	–
65Mn	0.57–0.70%	–	–	–	–	–	–	0.6–0.9%	–	0.05%	0.04%	–	–	–
3Cr13	0.35%	13.5%	0.6%	–	–	–	0.5%	0.5%	0.8%	–	–	–	–	–
4Cr14	0.38%	13.94%	0.12%	0.08%	–	–	0.14%	0.41	0.41%	0.003%	0.02%	–	–	–

8CR13MOV

HRC 57-59

TOUGHNESS: 4/10

EDGE RETENTION: 6/10

CORROSION RESISTANCE: 6/10

SHARPENING EASE: 5/10

Kershaw precision heat-treats 8Cr13MoV steel to bring out its very best high-performance characteristics: the ability to take and hold an edge, strength, and hardness.

420HC

HRC 60-62

TOUGHNESS: 6/10

EDGE RETENTION: 4/10

CORROSION RESISTANCE: 6/10

SHARPENING EASE: 6/10

This modified 420 steel has higher amounts of carbon and chromium to boost hardenability and corrosion resistance. It is an excellent everyday steel: tough, corrosion resistant, easy to sharpen, and takes a good edge.

420J

HRC 60-62

TOUGHNESS: 6/10

EDGE RETENTION: 8/10

CORROSION RESISTANCE: 2/10

SHARPENING EASE: 3/10

Highly stain resistant, but ductile, this steel is excellent for use where "flex" is desirable, for example, in fillet knives.

8CR14MOV

HRC 58-59

The formula for this steel has additional chromium for added stain resistance. It also benefits from Kershaw's expertise in precision heat treatment.

65MN

HRC 56

A tough, durable carbon steel designed for hard-use tools such as Kershaw's Camp Series machetes.

3CR13

HRC 54-56

A value-priced high-chromium stainless steel.

4CR14

HRC 55-57

A value-priced steel; very highly stain resistant.

DIN 1.4116

HRC 55-57

German stainless steel with high corrosion resistance and toughness. A popular choice for kitchen cutlery.

OPENING SYSTEMS

ASSISTED OPENING
When closed, a torsion bar in the handle creates a bias toward the closed position. When opening, the torsion bar adds to the pressure from your finger, and pushes the blade open.

PUSH-BUTTON AUTOMATIC
A push-button lock holds the blade in place, put under pressure from a torsion spring. When the button is pressed, the released pressure opens the blade. The Kershaw Launch series features a selection of these sleek, instant-open knives.

DOUBLE-ACTION OUT-THE-FRONT
Apply pressure to the sliding button to open and close the blade. Sliding the button releases a steel bar from the locked position and activates the blade. This mechanism found in OTF automatics.

MANUAL
No springs or torsion bars are used; these folders rely on washers for a simple, smooth, and reliable pivot open. Washers are made of various durable materials: usually plastic or bronze.

MANUAL KVT BALL-BEARINGS
Relies on a ring of "caged" ball bearings that surround the knife's pivot and enable the blade to move out of the handle smoothly. KVT makes opening manual knives as smooth, easy, and often as fast as assisted opening.

SLIPJOINT
These folders usually feature a detent system (a tension rod or ball and groove) that biases the blade open or closed. To open, simply overcome the detent manually. Some slipjoints use a double detent system with two steel detent balls, one on each side of the blade, for safe carry and controlled opening and closing.

OPENS WITH

FLIPPER
The flipper is a metal extension found at the back of the blade near the pivot. It can be found on both assisted and manual folders.

NAIL NICK
The nail nick is a groove in the top of the blade, usually halfway down the length of the blade. It is found on manual folders and slipjoints.

PUSH BUTTON
The push button is found in the handle of the folder near the pivot. It is often used in automatic folders.

THUMB STUD
The thumb stud is a small stud located at the top of the blade near the pivot. It may be positioned on one or both sides of the blade.

THUMB DISK
The thumb disk is a small flat disk typically found at the top of the blade.

EMERSON WAVE SHAPED FEATURE®
This is a wave-shaped hook built into the back end of the blade, similar to the flipper. It allows users to open the knife as it exits the pocket by hooking onto the pants material.

OTF SLIDING BUTTON
The sliding button is conveniently found on the spine of the handle. It is primarily used to open and close out-the-front automatic knives.

LOCKS

DURALOCK
The DuraLock, also known as a crossbar lock, is strong, safe, and easy to operate. The solid steel crossbar engages with the blade tang and locks the blade in place. Pull back on the ambidextrous lock to safely close the blade.

FRAME LOCK
In a frame lock knife, the knife handle—its "frame"—consists of two plates of material on either side of the blade. When the knife is opened, one side of the frame butts up against the back end of the blade and prevents the blade from closing until released. The thickness of the frame material blocking the blade open makes the frame lock extremely sturdy.

LINER LOCK
The most common of today's blade-locking systems. The handle consists of two metal plates (the "liner") on either side of the blade. When the knife is opened, one side of the liner butts up against the back end of the blade and prevents the blade from closing until released. A secure and convenient way to make using a Kershaw folding knife even safer.

INSET LINER LOCK
The inset liner lock is a Kershaw variation on the liner lock. Kershaw insets a sturdy steel plate on the inside of the knife's handle. It is riveted into place in a custom-machined cutout on the interior of the handle. This enables us to make a knife with a slimmer profile that won't weigh your pocket down, while still providing the strength and security of a locking liner.

MID-LOCK
The oldest of the popular blade-locking systems, yet the principle is the same as with the others. Once the knife is opened, a steel bar locks into place behind the blade and prevents the knife from closing until released by the knife user.

OTF INTERNAL LOCK
A pair of opposing steel pawls move under spring tension on arcing paths to lock the blade in the open and closed positions. Sliding the button moves a ramp against the corresponding pawl to release it and open or close the blade.

PUSH-BUTTON LOCK AUTO
Like Kershaw's other locking systems, once the blade is open, a mechanism blocks the butt end of the blade and prevents it from closing accidentally. In this case, a spring-loaded lock is built into one side of the handle, and it must be depressed in order to unlock the blade.

BUTTON LOCK
The blade is secured with a dependable button lock in the open position. Press the button to disengage the lock for manual drop shut action.

SLIPJOINT
A slipjoint knife has no lock. Usually there is a detent system to ensure safe use. Using a tension rod or ball and groove, the blade is biased toward the open or closed position. To close the blade, simply overcome the detent manually.

TIP-LOCK
The Tip-Lock can be found on all Leek, Scallion, and Chive assisted open knives. It's a simple slider that, when engaged, ensures the blade will not accidentally open. It's especially helpful in cases where the knife might be juggled in a briefcase, backpack, or purse.

HANDLE MATERIALS

ANODIZED ALUMINUM
Aluminum is a lightweight, yet strong and durable material. Anodizing makes aluminum even stronger and enables Kershaw to add scratch and fade resistant color to knife handles.



CARBON FIBER
Carbon fiber atoms are bonded together in crystals aligned in long strands, then woven tightly together like fibers. Combined with resin to make the fibers rigid, carbon fiber makes a knife handle material that is both extremely strong and extremely lightweight.



COPPER
Denser and heavier than iron, this natural metal starts out reddish-orange in color, but over time will gain a patina, like a copper penny. The patina is a result of oxidation, and the colors it turns will change with time as well. Copper makes an interesting knife handle material due to the changing patina. Depending on how you handle and use it, the knife will look different throughout its life.

CO-POLYMER PLASTIC
A co-polymer is a compound of two or more different molecules, chosen for specific characteristics. The co-polymers Kershaw uses for knife handles generally have a slightly rubbery texture to improve grip security.

G10
An epoxy-filled woven glass fiber; it is extremely stable, unaffected by temperature changes, and makes an excellent handle and handle scale material for knives.



STAINLESS STEEL
An alloy of iron and carbon, most steel also has additional elements that are alloyed to enhance specific characteristics. As a handle material, stainless steel is strong and attractive

K-TEXTURE™ GRIP
An exclusive texture and pattern used on the handles of certain Kershaw knives. K-Texture™ enhances a secure grip.

MICARTA
A mixture of fiber cloth materials soaked in resin and hardened to create a strong, lightweight, and long-lasting handle. Kershaw micarta handles can be polished or feature a canvas-like texture in a variety of colors.

GLASS-FILLED NYLON
Nylon synthetic polymer is reinforced with glass threads for increased strength, stiffness, and dimensional stability, combined with excellent wear resistance.

TITANIUM
Titanium is a lightweight, corrosion-resistant metal with high tensile strength.



TRAC-TEC INSERTS
A rough-surfaced rubber insert that provides additional friction for a non-slip grip.

POCKETCLIPS

SINGLE-POSITION
The pocketclip is mounted in a single, fixed position on the knife handle.

REVERSIBLE
Right-handed, tip-up or tip-down
OR
Right- or left-handed, tip-up

3-POSITION
Right-handed, tip-up or tip-down
AND
Left-handed, tip-up

4-POSITION
Right-handed, tip-up or tip-down
AND
Left-handed, tip-up or tip-down

DEEP-CARRY
This specially designed pocketclip is positioned at the very end of the handle so that the knife can be carried deeper inside the pocket.



EXTRA-DEEP-CARRY
This wrap-around pocket clip design goes even deeper in the pocket, extending slightly beyond the length of the handle.



KNIFE SIZES

AIRLOCK 1385 P.20
AIRSPACE 2063 P.29
ALIGN 1405 P.49
ANTIC 8710 P.59
BALANZA 4950TR P.33
BAREKNUCKLE DURALOCK 6777 P.27
BARRICADE 8650 P.55
BEL AIR 6105 P.27
BEL AIR XL 6110 P.25
BLUR - USA FLAG 1670USA P.40
BONNEVILLE 6000 P.23
BRACE 2085 P.63
BROADSIDE 2052 P.29
CELESTION 2057 P.28
CHILL 3410 P.32

CHIVE 1600 P.43
CINDER 1025 P.59
CONDUIT 1407 P.45
COVALENT 2042 P.31
CQC-8K 6044TBLK P.35
CRAZE 8337 P.56
CRYO 1555TI P.53
CYBERNET 2046 P.34
DAWNSTAR 1423 P.47
DESCHUTES SKINNER 1883 P.61
DESCHUTES CAPER 1882 P.61
DIODE 1230 P.59
DUNE 4008 P.63
DUSTER 2059 P.29
ERIS 1881 P.52

FAULTLINE 8760 P.32
FLITCH 3930 P.52
FLOURISH 3935 P.52
FLATBED 1376 P.19
FRINGE 8310 P.51
FUNXION EMT 8100 P.56
GRAVEL 2065 P.51
GRID 2200 P.52
HEIST 2037 P.32
HELITACK 5570 P.47
ION 1747BW P.63
IRIDIUM 2038 P.31
KAPSULE 1190 P.34
KINDRED 2053 P.23
KORRA 1409 P.17

*AVERAGE HUMAN HAND SIZE (ACCORDING TO NASA)

	LENGTH	BREADTH	CIRCUMFERENCE
MALE	7.6 IN.	3.5 IN.	8.6 IN.
FEMALE	6.8 IN.	3.1 IN.	7.0 IN.

*AVERAGE POCKET SIZE, FROM A 2018 STUDY OF 80 STYLES FROM 20 POPULAR BLUE JEAN BRANDS:

	WIDTH	HEIGHT
MALE	6.4 IN.	9.1 IN.
FEMALE	6 IN.	5.6 IN.
BACK	5.3 IN.	6.1 IN.

Series representative, not all variants shown

LATERAL 1645 P.49
LAUNCH 1 7100BW P.10
LAUNCH 4 7500BLK P.10
LAUNCH 8 7150 P.13
LAUNCH 21 7106 P.14
LAYUP 2047 P.47
LEEK 1660 P.37
LIVEWIRE 9000 P.9
LUCHA 5150 P.33
LUCID 2036 P.50
MANEUVER 1438 P.28
MINI IRIDIUM 2051 P.30
MISDIRECT 1365 P.17
MISDIRECT XL 1441 P.17
MONITOR 2041 P.31



OUTFIELD 1428 P.19
OUTLIER 2064 P.51
OUTRIGHT 8320 P.46
PACK MULE 1089 P.62
PROXIMAL 2058 P.29
RATION 1140 P.73
RATION - XL 1145 P.73
RATE 1408 P.49
RAYGUN 1427 P.17
RBK 2 1891 P.65
REMNANT 2054 P.23
RUNOFF 1429 P.23
SCALLION 1620 P.42
SCOUR 1416 P.48
SELECT FIRE 1920 P.55

SEQUENCE 1426 P.29
SHORELINE - BASS 1845BASS P.45
SHUFFLE 8700 P.58
SHUFFLE II 8750TBLKBW P.56
SKEETER III 1216 P.73
STARTER 1301BW P.20
STEPPE 2048 P.63
TASKMASTER SHEARS 2 1121 P.73
THERMAL 1411 P.48
TREMOLO 1390 P.19
TX-TOOL TXTOOL P.73
ULTRA TEK 2535 P.73
VALVE 1375 P.21
WHARF 1414 P.21

ATREIDES 1088 P.61
CAMP 10 1077 P.65
TASKMASTER SAW 2 2556 P.65
7-IN. BONING WITH SPOON 1243SH P.66
7-IN. FILLET 1257 P.66
7.5-IN. FILLET 1247 P.66
9-IN. CURVED 1242GE P.67
9-IN. FILLET 1259 P.66
9.5-IN. FILLET 1249 P.67
12-IN. CURVED 1241 P.67
FOLDING FILLET 1258 P.67

INDEX

MODEL	NAME	PHOTO	P.
1019	FIRE STARTER		73
1025	CINDER		59
1051 NEW	MINI IRIDIUM FIXED BLADE		61
1077	CAMP 10		65
1077TAN	CAMP 10 - TAN		65
1088	ATREIDES		61
1089	PACK MULE		62
1121	TASKMASTER SHEARS 2		73
1140	RATION		73
1145	RATION - XL		73
1190	KAPSULE		34
1195	INTERSTELLAR		34
1216	SKEETER III		73
1220	REVERB		32
1230	DIODE		59
1241	12-IN. CURVED		67
1242GE	9-IN. CURVED		67
1243SH	7-IN. BONING WITH SPOON		66
1247	7.5-IN. FILLET		66
1249	9.5-IN. FILLET		67
1257	7-IN. FILLET		66
1258	FOLDING FILLET		67
1259	9-IN. FILLET		66
1301BW	STARTER		20
1302BW	LIFTER		20
1306BW	FILTER		20
1313BLK	SPOKE		21
1324	CATHODE		21
1365	MISDIRECT		17
1365RBW	MISDIRECT - RAINBOW		17
1370	CAMSHAFT		20
1375	VALVE		21
1376	FLATBED		19
1385	AIRLOCK		20
1390	TREMOLO		19
1395	LIGHTYEAR		19
1401	JETPACK		19
1405	ALIGN		49
1407	CONDUIT		45
1407ST	CONDUIT - SERRATED		45
1408	RATE		49
1409	KORRA		17
1411	THERMAL		48
1414	WHARF		21
1416	SCOUR		48
1423	DAWNSTAR		47
1426	SEQUENCE		29
1427	RAYGUN		17
1428	OUTFIELD		19
1429	RUNOFF		23
1438 NEW	MANEUVER		28
1441 NEW	MISDIRECT XL		17
1555TI	CRYO		53
1600	CHIVE		43
1600PINK	CHIVE - PINK		43
1605CKTST	CLASH - BLACK, SERRATED		53
1620	SCALLION		42
1620FL	SCALLION - STAINLESS		42
1620ST	SCALLION - SERRATED		42
1620NB	SCALLION - NAVY BLUE		43
1620OL	SCALLION - OLIVE DRAB		43
1620PUR	SCALLION - PURPLE		43
1645	LATERAL		49
1645BLKST	LATERAL - BLACK SERRATED		49
1660	LEEK		37
1660ST	LEEK - SERRATED		37
1660BLKW	LEEK - BLACKWASH™		38
1660CKT	LEEK - BLACK		38
1660CKTST	LEEK - BLACK, SERRATED		38
1660KC NEW	LEEK - KINGS CAMO		37
1660OL	LEEK - OLIVE		39
1660OR	LEEK - ORANGE		39
1660PUR	LEEK - PURPLE		39
1660R	RANDOM LEEK		38
1660RBW	RANDOM LEEK - BLACKWASH™		38
1660SWBLK	LEEK - BLACK, STONEWASH		38
1660TEAL	LEEK - TEAL		39
1660TROUT	LEEK - RAINBOW TROUT		37
1660USA	LEEK - USA FLAG		37
1670BLK	BLUR - BLACK		41
1670BLKST	BLUR - BLACK, SERRATED		41
1670BW	BLUR - BLACKWASH™		41
1670GBBLKST	BLUR - GLASS BREAKER, BLACK, SERRATED		42
1670KC NEW	BLUR - KINGS CAMO		41
1670NBSW	BLUR - NAVY BLUE, STONEWASH		41
1670OLBLK	BLUR - OLIVE, BLACK		41

1670S30V	BLUR - S30V, BLACK STONEWASH		42
1670TBLKST	BLUR - TANTO, BLACK, SERRATED		42
1670USA NEW	BLUR - USA FLAG		40
1747BW	ION		63
17760LSW	LINK - OLIVE, STONEWASH		37
1780	CHEF'S KNIFE		69
1781	BREAD KNIFE		69
1782	SANTOKU KNIFE		69
1783	UTILITY KNIFE		69
1784	PARING KNIFE		69
1785	4-PIECE STEAK KNIFE SET		69
1815	SANCTUM		49
1830	OSO SWEET		53
1835TBLKST	KURO - SERRATED		51
1845	SHORELINE		45
1845BASS NEW	SHORELINE - BASS		45
1845ST	SHORELINE - SERRATED		45
1881	ERIS		52
1882	DESCHUTES CAPER		61
1883	DESCHUTES SKINNER		61
1883GH	DESCHUTES SKINNER - GUT HOOK		61
1891	LONEROCK RBK 2		65
1890RB	LONEROCK RBK BLADES		65
1920	SELECT FIRE		55
1990	BRAWLER		46
1990ST	BRAWLER - SERRATED		46
2036	LUCID		50
2037	HEIST		32
2038	IRIDIUM		31

2038BLK	IRIDIUM - BLACK		31
2038R	IRIDIUM - REVERSE TANTO		31
2038RBLK	IRIDIUM - REVERSE TANTO BLACK		30
2041	MONITOR		31
2042	COVALENT		31
2044	OUTCOME		47
2044RBW	OUTCOME - RAINBOW		47
2046	CYBERNET		34
2047	LAYUP		47
2048	STEPPE		63
2051	MINI IRIDIUM		30
2051BLK	MINI IRIDIUM - BLACK		30
2051R	MINI IRIDIUM - REVERSE TANTO		30
2051RBLK	MINI IRIDIUM - REVERSE TANTO BLACK		30
2052	BROADSIDE		29
2053	KINDRED		23
2054	REMNANT		23
2057 NEW	CELESTION		28
2058 NEW	PROXIMAL		29
2059 NEW	DUSTER		29
2061	CANNONBALL		50
2062ST	ANALYST		50
2063 NEW	AIRSPACE		29
2064	OUTLIER		51
2065	GRAVEL		51
2085	BRACE		63
2200	GRID		52
2535	ULTRA-TEK SHARPENER		73
2556	TASKMASTER SAW 2		65

3038 NEW	IRIDIUM BUTTON-LOCK		23
3410	CHILL		32
3445	STATIC		32
3455	BRACKET		50
3930	FLITCH		52
3935	FLOURISH		52
3960	BARSTOW		52
4007	SECRET AGENT		63
4008	DUNE		63
4950TR	BALANZA		33
5150	LUCHA		33
5150BW	LUCHA - BLACKWASH™		33
5150TR	LUCHA - TRAINER		33
5560	RADAR		50
5570	HELITACK		47
6000 NEW	BONNEVILLE		23
6034D2	COC-6K D2		35
6034T	COC-7K		35
6034TRAINER	E-TRAIN		35
6044TBLK	COC-8K		35
6054BRNBLK	COC-4K		35
6105	BEL AIR		27
6105BLK	BEL AIR - BLACK		27
6105CF	BEL AIR - CARBON FIBER		27
6106	BEL AIR - CLIP POINT		26
6106BLK	BEL AIR - CLIP POINT, BLACK		27
6106CF NEW	BEL AIR - CLIP POINT, CARBON FIBER		26
6110	BEL AIR XL		25
6110BLK NEW	BEL AIR XL - BLACK		25

6110CF NEW	BEL AIR XL - CARBON FIBER		25
6110EMT NEW	BEL AIR XL - EMT		55
6110EMTOR NEW	BEL AIR XL - EMT, ORANGE		55
6110FDE NEW	BEL AIR XL - FDE, M4		25
6110OL NEW	BEL AIR XL - OLIVE, 3V		25
6777 NEW	BAREKNUCKLE - DURALOCK		27
7038	LAUNCH IRIDIUM		10
7038G10	LAUNCH IRIDIUM - G10		10
7100BW	LAUNCH 1		10
7105	LAUNCH 16		13
7105OLBLK	LAUNCH 16 - OLIVE, BLACK		14
7106	LAUNCH 21		14
7150	LAUNCH 8		13
7205	LAUNCH 22		14
7305	LAUNCH 23		14
7500BLK	LAUNCH 4		10
7550	LAUNCH 11		13
7551	LAUNCH 18		14
7650	LAUNCH 13		13

7800BLK	LAUNCH 6		13
8100	FUNXION EMT		56
8300	DUOJET		51
8310	FRINGE		51
8320	OUTRIGHT		46
8320BLK	OUTRIGHT BLACK		46
8320BLKST	OUTRIGHT BLACK - SERRATED		46
8337	CRAZE		56
8650	BARRICADE		55
8650ST	BARRICADE - SERRATED		55
8700	SHUFFLE		58
8700BLK	SHUFFLE - BLACK		59
8700LIMEBW	SHUFFLE - LIME		58
8700PURBW	SHUFFLE - PURPLE		58
8700TEALBW	SHUFFLE - TEAL		58
8710	ANTIC		59
8720	SHUFFLE - DIY		59
8750TBLKBW	SHUFFLE II - BLACK		56
8750TTANBW	SHUFFLE II - TAN		56

8750TOLBW	SHUFFLE II - OLIVE		56
8760	FAULTLINE		32
8800	PT-1		73
8810	PT-2		73
8830	RECAP		73
9000	LIVEWIRE		9
9000BLK	LIVEWIRE - BLACK		10
9000CF	LIVEWIRE - CARBON FIBER		9
9000DE	LIVEWIRE - DOUBLE EDGE		9
9000R	LIVEWIRE - REVERSE TANTO		9
9000T	LIVEWIRE - TANTO		9
K6BLOCK	6-PIECE KITCHEN KNIFE SET		69
KEROIL	KERSHAW KNIFE OIL		72
KMCURE	MANICURE SET		73
KTOOL	K-TOOL		73
TXTOOL	TX-TOOL		73

Kai USA, Ltd., founded as Kershaw Knives in 1974, began with one mission: to design and manufacture tools that knife users would be proud to own, carry, and use. Today, premium materials, state-of-the-art manufacturing, extremely tight tolerances, and meticulous craftsmanship ensure that each Kershaw knife or tool provides a lifetime of performance and pride of ownership. The Kershaw brand is especially known for innovative technologies and materials, resulting in numerous industry awards. We manufacture many of our products in our 55,000 sq. ft. facility located south of Portland Oregon, in the city of Tualatin. Our campus houses a state-of-the-art manufacturing facility, our design, engineering, and manufacturing teams, as well as the customer service experts who sell and support our Kershaw brand knives and tools. Kershaw products are backed by a Limited Lifetime Warranty.

AUTHORIZED DEALERS

Want to be sure the Kershaw you're carrying is the real thing? Buy from our Authorized Dealers. Specially selected by Kershaw for their ability to professionally represent and sell our products, Authorized Dealers carry genuine Kershaw quality products and service. You can be sure your purchase is fully covered under our Limited Lifetime Warranty. Find an Authorized Dealer in your area on our website: kershawknives.com

LIMITED LIFETIME WARRANTY

Kershaw knives from Kai USA Ltd. carry a limited warranty for the lifetime of the original owner, except when stated otherwise. We guarantee our knives against manufacturing defects in material and construction and to perform as advertised when properly used and maintained. The Limited Lifetime Warranty is non-transferable and does not extend to normal signs of wear, rust, damage, or breakage due to improper use, improper maintenance, accidents, loss, or theft. This warranty is void on products that have been modified in any way. Any product we determine to be defective will be repaired or replaced solely at our discretion. To receive warranty repair or replacement, the owner must send the product to be evaluated by Kai USA Warranty Services in our Tualatin, Oregon headquarters. In addition to the provisions of this warranty, the owner may also have other rights that can vary by state. The Limited Lifetime Warranty does not apply to the TX Tool, Fire Starter, or Kershaw Knife Oil. No other warranties are implied or expressed other than what is specifically stated here. Kai USA Ltd. reserves the right to determine what constitutes normal wear, improper use/maintenance, and modification.

We reserve the right to make changes to this warranty at our discretion and without notice.

For warranty information, shipping tips, and the Warranty/Repair Form required for warranty service, please visit our website: kershawknives.com

BLADE REPLACEMENT

If you accidentally break your Kershaw folder's blade, we can replace it for just $25. Blades that break due to a manufacturing defect will still be replaced under warranty, free of charge. For a replacement blade, knives must be shipped to Kai USA. Please see our website for shipping and warranty service information.

REPLACEMENT PARTS

Some replacement parts can be shipped to you. Please see our website for an updated list of what we will ship for free.

VOUCHERS

There may be cases when your knife has been evaluated and is eligible for warranty service but is not able to be repaired or replaced. This can be true with discontinued models of which we no longer have stock. In such cases, at our discretion, we will offer a voucher for a replacement knife of equal or lesser value, as defined by the Manufacturer's Suggested Retail Price (MSRP). The voucher can only be used through the Kai USA Warranty Department and some exclusions apply. If you prefer to have your original knife returned instead of using the voucher, please call our warranty team toll-free: 1-800-325-2891. We will retain the knife for 30 days from the date the voucher is issued. If you do not call us to let us know by then, the knife will be recycled.

LIABILITY DISCLAIMER

Kershaw knives are intended and sold for legitimate everyday carry and/or sporting purposes only. The purchase, use, and ownership of knives are subject to a wide variety of federal, state, and local laws and regulations. Always comply with all laws and regulations in effect in your area. Due to the complexity and constantly changing nature of these laws and regulations, it is the responsibility of the buyer to investigate and comply with the laws and regulations that apply in his or her specific area. You, and not Kai USA Ltd., are solely responsible for any claims resulting from violation of these laws and/or regulations.

WARNING!

Knives are extremely sharp tools and should only be used or handled with the utmost care and caution. Any use other than cutting (such as prying or twisting) is considered misuse and abuse—and will void your warranty. Kershaw/Kai USA Ltd. is not responsible for any injuries resulting from misuse or abuse of the product.

Do not use any Kershaw knife as a throwing knife (other than the Ion 1747BW or Aethon 1748 throwing knives) or a stabbing device. Throwing knives and knives developed for stabbing have a distinctly different design and function. Kershaw knives are not intended for throwing or stabbing; they are designed for cutting purposes only.

We reserve the right to change shipping terms, specifications, materials, or discontinue products at any time, without notice.

Kershaw products are covered by one or more pending and issued U.S. patents. Here is a list of past and present patents that we have utilized.
4,715,121; 4,741,106; 5,802,722; 5,815,927; 6,006,385; 6,397,476; 6,388,431; 6,412,130; 6,145,202; 6,223,372; 6,338,431; 6,378,214; 6,397,476; 6,427,334; 6,591,504; 7,086,158; 7,370,421; 7,395,599; 9,120,234; D303,748; D316,802; D317,390; D321,818; D329,185; D348,818; D351,328; D365,725; D366,605; D375,243; D392,131; D410,833; D437,197; D438,085; D450,228; D454,043; D454,768; D455,062; D467,783; D474,669; D479,104; D479,114; D484,770; D488,045; D565,918; D566,222; D569,212; D570,180; D572,542; D572,562; D575,614; D576,466.

ABOUT THE PROP 65 NOTIFICATION

You may have seen more Prop 65 warnings on our products lately.

First, understand that nothing has changed with the materials or manufacturing processes Kai USA uses to make our products.

The one thing that HAS changed are the notification requirements of Proposition 65.

Prop 65 is a 1986 California law that requires California residents to be notified of products that could expose them to chemicals known by the state of California to "cause cancer, birth defects or other reproductive harm." This law was recently expanded to apply to all retailers as well as those who sell products under a private label.

In fact, there are hundreds of chemicals on the California Prop 65 list—including things like nickel and chromium that have always been a part of knife steel. As a responsible manufacturer, we are including the warning as required by the law. Since we don't always know where our products are sold, this protects our company and our authorized retailers.

But again, nothing except the notification requirement has changed. Carrying and using our products is no more hazardous than before Prop 65. It will continue to be an important part of the tools you carry with you and use every day.

GENERAL: ⚠ WARNING

This product can expose you to a chemical (or chemicals) that are known to the State of California to cause cancer or reproductive harm. For more information go to **www.P65Warnings.ca.gov.**

LEAD: ⚠ WARNING

This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to **www.P65Warnings.ca.gov.**

BENZENE: ⚠ WARNING

This product can expose you to chemicals including benzene, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to **www.P65Warnings.ca.gov.**

CARBON MONOXIDE: ⚠ WARNING

This product can expose you to chemicals including carbon monoxide, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to **www.P65Warnings.ca.gov.**

DEHP/BPA: ⚠ WARNING

This product can expose you to chemicals including di(2-ethylhexyl)phthalate (DEHP), which is known to the State of California to cause cancer, and Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to **www.P65Warnings.ca.gov.**

LIST OF ALL PRODUCTS THAT MAY CONTAIN
THE ITEMS LISTED ON PAGE 86

MODEL #	CHEMICAL
1019	CARBON MONOXIDE
1025	LEAD
1051	LEAD
1077	BENZENE
1077TAN	BENZENE
1089	LEAD/BPA
1170	LEAD
1190	LEAD
1195	LEAD
1216	LEAD
1220	LEAD
1225	LEAD
1230	LEAD
1241	LEAD
1242GE	LEAD
1243SH	LEAD
1247	LEAD
1249	LEAD
1257	LEAD
1259	LEAD
1313BLK	LEAD
1376	LEAD
1401	LEAD
1405	LEAD
1407	LEAD
1407ST	LEAD
1411	LEAD
1416	LEAD
1426	LEAD
1429	LEAD
1438	LEAD
1555TI	LEAD
1605CKTST	LEAD
1645	LEAD
1645BLKST	LEAD
1780	PFAS
1781	PFAS
1782	PFAS
1783	PFAS
1784	PFAS
1785	PFAS
1815	LEAD
1830	LEAD

MODEL #	CHEMICAL
1835TBLKST	LEAD
1845	LEAD
1845ST	LEAD
1845BASS	LEAD
1881	LEAD
1883	LEAD
1883GH	LEAD
1920	LEAD
1990	LEAD
1990ST	LEAD
2031	LEAD
2034	LEAD
2036	LEAD
2038	LEAD
2038BLK	LEAD
2038R	LEAD
2038RBLK	LEAD
2044	LEAD
2047	LEAD
2048	LEAD
2049	LEAD
2051	LEAD
2051BLK	LEAD
2051R	LEAD
2051RBLK	LEAD
2052	LEAD
2053	LEAD
2054	LEAD
2057	LEAD
2058	LEAD
2059	LEAD
2061	LEAD
2062ST	LEAD
2064	LEAD
2065	LEAD
2085	LEAD
2200	LEAD
2556	BENZENE
3038	BPA
3410	LEAD
3445	LEAD
3455	LEAD
3930	LEAD

MODEL #	CHEMICAL
3935	LEAD
3960	LEAD
4007	LEAD
4008	LEAD
5560	LEAD
5570	LEAD
6034T	LEAD
6044TBLK	LEAD
6054BRNBLK	LEAD
6105CF	BPA
6106	BPA
6106BLK	BPA
6106CF	BPA
6110	BPA
6110CF	BPA
6110EMT	BPA
6110EMTOR	BPA
7038G10	BPA
7150	BPA
7205	BPA
8100	LEAD
8300	LEAD
8310	LEAD
8320	LEAD
8320BLK	LEAD
8320BLKST	LEAD
8337	LEAD
8650	LEAD
8650ST	LEAD
8700	LEAD
8700BLK	LEAD
8700LIME	LEAD
8700PUR	LEAD
8700TEAL	LEAD
8710	LEAD
8720	LEAD
8750TBLKBW	LEAD
8750TOLBW	LEAD
8750TTANBW	LEAD
8760	LEAD
9000CF	BPA
TXTOOL	LEAD

kershaw
KERSHAWKNIVES.COM
kershaw
kai U.S.A. ltd.
18600 SW Teton Avenue
Tualatin, OR 97062
USA
800.325.2891